

medi. I feel better.

COMPRESSION for chronic venous disease and PAD / Diabetes

certainly!

in clinica trial

above the ankles down to the tip of the to sa Stralong, flat seam

mediven® angio

Safety down to the toes.

The medi treatment traffic light

For a simple, safe and indication-appropriate treatment.

Step 1: Determine the indication and evaluate comorbidities Step 2: Consider patient-individual criteria and comorbidities



Chronic venous disease (CEAP COs - C5)

approx. 98 % of the over 60-year-old1

Clinical diagnosis

- Venous reflux
- Venous hypertension



Compression therapy with mediven® round knit (e.g. mediven[®] plus) – patientindividual care



Chronic venous disease (CEAP COs - C5) and mild to moderate PAD

approx. 21 % of the over 65-year-old²

Further clinical diagnosis^{2,3}

Chronic venous disease

• Pain in the calfs while walking longer distances (so called window shopper's disease)

(CEAP COs – C5) and diabetes

mellitus Type 2 / diabetic PNP

approx. 20,5 % of the over 60-year-old4



Compression therapy with mediven angio safe care

✓ Unique product

- Merino-Plush in the entire foot area
- Solid ribbed structure
- Extra long, flat seam

✓ Clinical trial

- Stable blood circulation down to the smallest blood vessels
- No damage to the skin
- No constrictions
- No pressure points
- High wearing comfort

Confirmed for compression classes 1 and 2





Chronic venous disease and severe PAD

Further clinical diagnosis

 Missing sensibility of pressure · Missing sensibility of pain

Chronic venous disease and diabetic foot syndrome (DFS)

X Contraindication

for compression therapy³

X No treatment

with medical compression stockings



- Rabe E et al. Bonner Venenstudie der Deutschen Gesellschaft für Phlebologie. Phlebologie 2003;32:1–14.
 Lawall H et al. S3-Leitlinie zur Diagnostik, Therapie und Nachsorge der peripheren arteriellen Verschlusskrankheit. Available at: https://www.awmf.org/leitlinien/detail/ll/065-003.html
- Lawall Het al. 53-Leitlinie zur Diagnostik, Trier apie dird Nachsorge der peripheren arterleine Verschied und Machsorge der peripheren arterleine Verschied und Medizinische Medizinische Kompressionsterband (PKV) Rabe E et al. 52k-Leitlinie: Medizinische Kompressionssystemen (MAK). Available at: https://www.awmf.org/leitlinien/detail/II/037-005.html (Last access 12.06.2024). Und Medizinischen adaptiven Kompressionssystemen (MAK). Available at: https://www.awmf.org/leitlinien/detail/II/037-005.html (Last access 12.06.2024). Nationale Diabetes-Surveillance am Robert Koch-Institut (2019). Diabetes in Deutschland Bericht der Nationalen Diabetes-Surveillance 2019. Robert Koch-Institut, Berlin. Rother U et al. Safety of medical compression stockings in patients with diabetes mellitus or peripheral arterial disease. BMJ Open Diab Res Care 2020;8:e001316.

















Driving the future in compression therapy

A strong brand. A wide-ranging product range. Convincing concepts.

medi World of Compression: signpost to the future with more than 70 years' competence in the field of compression. Your partner for the highest demands on quality, innovation and design. Let's shape the future together and create positive brand experiences – for you and your clients!

Satisfied customers and new potential

Numerous possible combinations for more successful treatment.

mediven compression garments are available in many colours and variants. So medi offers the right garment for several phlebological indications. The broad assortment of add-ons helps patients enjoy wearing their stockings. Join medi in profiting from partner-like goodwill and helpful services.

medi World of Compression

medi convinces within compression by a holistic concept. For this reason you can trust in medi products. They are tailored down to the smallest detail to the needs of your customers and promise best possible treatment success.

To introduce you to medi World of Compression we created indication related catalogues. This enables you to find the correct product for all the different indications and situations in no time. Please find a short explanation of the different literature below:



Venous Health

mediven round-knit compression stockings are the cornerstone of the conservative treatment for patients with venous disorders. Discover more about the numerous styles and variants of mediven and circaid products for venous health.

Art. no.: 0097D67



Therapy Concept Lymphology

The medi Therapy Concept Lymphology shows the new approach in the treatment of lymphoedema. It combines the decongestion phase, the transition phase and the maintenance phase and provides the right products for every stage. The circaid and the mediven flat knit products make the treatment of lymphoedema more indidvidual than ever before.

Art. no.: 0098D50



Therapy Concept Leg Ulcer

The medi Therapy Concept Leg Ulcer accompanies the patient during the complete treatment of venous leg ulcer by connecting the acute phase to the prevention of recurrence phase.

Available as pdf only.



Clinical Compression

The world of Clinical Compression is more than just thrombosis prophylaxis in the clinical environment.

Learn more about the multiple application fields of medi's hospital products and benefit from over 40 years of experience with Clinical Compression.

Art. no.: 0099580

8 Individual patient care with mediven®

16 Overview mediven®

Compression classes, lengths and features, measurement guide, colour spectrum and product properties.



mediven sheer & soft®

medi's most translucent compression stocking.



26 mediven elegance®

Beauty that can be seen.



mediven® for men

Stylish compression socks for a fashionable business look.



mediven comfort®

Softness that can be felt.



mediven® cotton

The new naturalness in compression therapy.



48 mediven® plus

Reliability that endures.



54 mediven® active

Hard-wearing compression socks for active men.



58 mediven® forte

Protection that can be felt.



64

mediven® angio
Safety down to the toes.

70 Special round knit models

Gusset versions

Overview of the available features depending on fabric.



88 mediven® ulcer kit

Ulcer stocking system for the treatment of leg ulcer.



94 Basic care of medi

duomed®, duomed smooth



102 mediven harmony®

Round knit armsleeves in seven sizes.



108

circaid®

Adjustable compression garments for the treatment of venous diseases.




124 medi travel®

Over-the-counter travel socks for people with a healthy venous system.

128 medi accessories

140 Service



medi produces medical aids for a variety of conditions and life situations. But we don't see ourselves solely as a manufacturer. On the contrary, we handle our own research and development, technology, production, marketing and sales in-house – always keeping our focus on the market, its demands and variables, and the medi vision.

medi offers products in three business divisions: Compression, Orthopaedics and Footcare. These products are used and distributed by medical supply stores, hospitals and clinics, doctors' practices and therapists.

In other words, specialists who know which users need which aids to improve their state of health and quality of life.

What we're proud of and what makes our products so special is that they're free of negative side effects.

Our range of products primarily includes medical compression stockings and adjustable compression for people with vein disorders, lipoedema and lymphoedema, supports and braces for the conservative and post-operative treatment of orthopaedic injuries and disorders, stockings for the prevention of thrombosis, anti-embolism stockings for use after vein surgery, compression garments for use after plastic and cosmetic surgery plus a variety of therapy-supporting products.

We support our partners in the sale and supply of our products and have developed intelligent concepts and services for this purpose.

Quality Certificates

As a manufacturer of medical products, medi has a high regard and awareness for quality. Product and system certificates prove that all legal requirements are met.

CE mark

Our medi medical devices meet all of the requirements of the European Directive 93 / 42 / EEC and of the German Medical Devices Act. In accordance with regulations, our products are subject to the conformity assessment procedures and are granted the CE mark. As a kind of "passport for industrial products", the CE mark guarantees free trade within the European Economic Area (EEA).



Quality label

Our medical compression hosiery is regularly checked by the Hohenstein Research Institute according to the quality and test provisions of the RAL-GZ 387. As confirmation that our products meet the quality conditions, you will find the quality label printed on the packaging.



Textile trust quality seal

All compression stockings and garments, whether circular-knit or flat-knit, thrombosis prophylaxis stockings and supports are regularly examined and rated according to strict standards by independent test centres for any toxic substances potentially damaging to human health. Granting of the Oeko-Tex Standard 100 certificate guarantees: tested quality for the protection of your health.



EN ISO 13485

medi maintains the quality management system according to the EN ISO 13485. Since 1996 we have demonstrated our quality status to our customers with a certificate. Since then, medi has enhanced the opportunities offered by this standard to permanently improve products from the business units Phlebology, Orthotics, Footcare, Woundcare and Hospital in order to organise safer and more efficient processes and procedures. We define customer satisfaction as a decisive measure of quality.



Hohenstein testing device - HOSY

Pressure is the most important feature of a medical compression stocking.







The mediven® observational study – facts and figures

The study proves: High acceptance of mediven® medical compression stockings. 1,2

High acceptance

Up to 98 %

of patients

had no symptoms while wearing the medical compression stockings

Wearing comfort

of patients

considered the medical compression stockings to be comfortable

Improving symptoms

In up to 53.2 %

of patients

the medical compression stockings improved the subjective symptoms

In 17.7 %

of patients

the objective clinical findings improved according to the CEAP class*

Good compliance

Up to 75.6 %

of patients

wore the medical compression stockings on a daily basis

Up to 68.4 %

of patients


wore the medical compression stockings from morning until evening


¹ Schwahn-Schreiber, Christine et al. "Long-term observational study on outpatient treatment of venous diseases with medical compression stockings in Germany. Phlebologie 2016;45(1):15-24.

² Schwahn-Schreiber et al. Reality of outpatient care with medical compression stockings: Follow-up analysis of the mediven® observational study. Phlebologie 2016;45(4):207-214.

* CEAP: classification of chronic venous disorders

The gap between the medical care situation and patient-specific criteria





The term "material" encompasses various textile characteristics of a medical compression stocking and is defined by strength, rigidity and elasticity of the knitted fabric.

The mediven observational study has shown patient-specific criteria are rarely taken into account when prescribing medical compression stockings.

Although two thirds of the patients were overweight or obese, 73.8 percent of compression stockings prescribed were made from light material. In people with higher weight frequent constrictions occured due to wearing medical compression stockings of light material.

2 steps to the perfect, individualised mediven compression stocking:

Step 1: Phlebological Indication Overview **Step 2:** Consider patient-specific criteria

Step 1: Phlebological Indication Overview

medi compression aids improve

- venous symptoms including pain reduction
- quality of life for sufferers of chronic venous diseases

and the following indications are to be considered (highest level of recommendation):1

| Indica | ation | P | roduct (CCL) | mediven sheer & soft (15-20 mmHg, 20-30 mmHg) | mediven elegance (1, 2) | mediven for men (1, 2) | |
|--------|--------------------------|---|-----------------|--|-------------------------------|------------------------------|--|
| | nic venous diseases ac | cording to CEAD | | 20-30 IIIIII 1g) | | | |
| COs | inc venious discuses ac | No visible signs of a venous disease | | | | | |
| | | | | • | • | • | |
| C1 | THE ME | Spider veins, telangiectasias, reticular varicose veins | | • | • | • | |
| C2 | 1 | Varicose veins with no signs of a CVI C2r recurrent varicose veins | | • | • | • | |
| C3 | | Prevention of and therapy for venous oedema | | | | • | |
| C4 | 0 | Prevention and therapy of skin changes C4a Pigmentation, eczema C4b Lipodermatosclerosis, atrophy blanche C4c Corona phlebectatica | | | | | |
| C5 | 10 | Healed venous ulcers (UCV), Prevention of UCV recurrence | | | | | |
| C6 | | Active UCV C6r recurrent active venous ulcer | | | | | |
| Othe | r | | | | | | |
| Ther | apy for mixed venous u | lcer | | | | | |
| Othe | r chronic venous disea | ses | | | | | |
| Initia | al phase following varic | ose therapy | | • | • | | |
| Fund | ctional venous insuffici | ency due to obesity | | | | | |
| Othe | roedemas | | | | | | |
| post | | oedema in pregnancy, postoperative reperfusion oedema, ive, occupational oedema, medicinally induced oedema, oeder | ma due | | | • | |
| Thror | mboembolism | | | | | | |
| • Sup | perficial venous thromb | osis | | • | • | • | |
| • De | ep vein thrombosis | | | | | | |
| • Cor | ndition after thrombosi | s, post-thrombotic syndrome | | | | | |
| • Thr | ombosis prophylaxis in | mobile patients | | • | • | • | |
| • Arn | n vein thrombosis | | | | | | |
| Othe | rindications | | | | | | |
| • Infl | ammatory dermatoses | of the legs | | | • | • | |
| • Nai | usea, dizziness in pregn | ancy | | | • | | |

Note:

^{1.} It is important to consider the different materials of medical compression stockings (MCS): light, medium, strong material. The term 'material' includes different textile MCS characteristics (strength, rigidity and elasticity). The usage of the three materials depends on the patients' characteristics (e. g. body weight, oedema, severity of the venous disorder, connective tissue): Keep in mind: The higher the body weight and / or the stronger the venous oedema and / or the more severe the venous disorder and / or the softer the connective tissue the firmer the MCS material.

medi tip: In respect to indications, we refer to the current S2k Guideline Medical Compression Therapy of the German Society for Phlebology.¹

¹ Rabe E et al. Medical compression therapy of the extremities with medical compression stockings (MCS), phlebological compression bandages (PCB), and medical adaptive compression systems (MAC): 52k guideline of the German Phlebology Society (DGP) in cooperation with the following professional associations: DDG, DGA, DGG, GDL, DGL, BVP. Hautarzt 2021;72(2):137-152.

| | mediven comfort (1, 2) | mediven cotton (1, 2) | mediven plus (1, 2, 3) | duomed (1,2) | mediven active (1, 2) | mediven forte (2, 3) | mediven harmony (1, 2) | circaid juxtalite (20-30 / 30-40 / 40-50 mmHg) | mediven ulcer kit (2 x 20 mmHg) | circaid juxtacures (20-30/30-40 / 40-50 mm Hg) |
|--|------------------------------|-----------------------------|------------------------------|-----------------|-----------------------------|----------------------------|------------------------------|--|---------------------------------------|--|
| | | | | | | | | | | |
| | • | • | • | • | • | • | | | | |
| | • | • | • | • | • | • | | | | |
| | • | • | • | • | • | • | | | | |
| | • | • | • | • | • | • | | • | | |
| | | | | | | | | | | |
| | • | • | • | • | • | • | | • | | |
| | | | • | | | • | | • | • | |
| | | | | | | | | | | |
| | | | | | | | | | • | • |
| | | | | | | | | • | • | • |
| | • | • | • | • | | | | • | | |
| | | | | | | • | | | | |
| | • | • | • | • | • | • | | | | |
| | | | | | | | | | | |
| | | | | | _ | | | • | | |
| | • | | | • | | | | | | |
| | • | • | • | • | • | • | | • | | |
| | | | | | | | | | | |
| | • | • | • | • | • | • | | | | |

^{2.} MCS of compression class I (CCL I) might be considered in elderly patients or in patients with an initial treatment, since it is well known, that the donning and doffing process of MCS is easier with CCL I compared to higher compression classes resulting in a better compliance.

Step 2: Consider patient-specific criteria

Recommendation – mediven® care compass:

- The higher the weight
- The stronger the oedema (venous oedema)
- The more severe the disease
- The softer the connective tissue
- → The stronger the stocking material should be.
- → Already meeting a single criterion requires a stronger material.
- → Please note! For lymphoedema or lipoedema, use mediven flat knit.

medi tin

Safe care for concomitant diseases.

Customers with chronic venous disease and simultaneously


- → mild to moderate peripheral arterial disease (PAD) and / or
- → diabetes mellitus / diabetic polyneuropathy (PNP)


have special requirements for a medical compression stocking.

mediven angio was particularly developed for this purpose – and its safety was proven in a clinical trial. Actively ask your customers about these concomitant diseases.

Case example: Obese, mild disease and light oedema → strong material

Light **Material** (e.g., mediven elegance) PARTHA PARTHA PARTA PARTHA PA Criteria ARAHAH AHAHAHAHARAKAN ARAKAKAKAKA 1. Weight 2. Oedema (venous oedema) 3. Severity of the disease mediven elegance mediven for men Recommended mediven® compression stockings:









mediven® product features



Clima Comfort*

- Wicks moisture away from the skin's surface quickly
- Guarantees a high level of breathability



Integrated Clima Fresh function

· Odour-inhibiting effect



Soft Elastic

- Noticeably more toe freedom with closed toe
- Increases wearing comfort
- Less pressure is exerted on the end of the foot



Perfect Fit

- A very precise fit
- Medically effective pressure gradient
- Optimal care conditions in standard and made-to-measure version



A wide range of variants and special models

Colours for greater quality of life

 Large selection of standard colours and the latest trend colours available.

Hightech fibres for natural elasticity

- · High double-stretch elasticity
- Optimal user comfort
- Easy to put on and take off
- Perfect, wrinkle-free fit
- · Highly attractive transparency and refined feeling



cf. Ben Ammar, F. (Dermscan): Clinical evaluation of the skin compatibility of a medical device - application testing realized under dermatological control, Tunis 2012/2013.



STANDARD 100 96.0.1369/1



STANDARD 100 97.0.3231

*Clima Comfort

- * Scientifically tested by French institute IFTH¹. The test results show that Clima Comfort technology from medi assures climate control between the skin and the stocking. With 11/12 points, medi achieved an outstanding overall score.
- ¹ Gardon-Mollard C., Gogué-Meunier G. Etude comparative du transfert de la vapeur d'eau dans différents articles de compression médicale. Phlébologie 2011,64(2):53-60.

mediven[®] ulcer kit product features



Softness**

- Soft material for a pleasant wearing comfort
- Slides smoothly and gently over the skin



Easy donning***

- Liner and outer stocking with both 20 mmHg for easy donning and doffing
- Soft liner stocking eases donning of the outer stocking




Integrated Clima Fresh function

Odour-inhibiting effect

** These features only apply to mediven ulcer *** These features only apply to mediven ulcer kit

Correct fitting of round knit medical compression stockings

Note: Please measure length measurements to IG on the inside of the leg



cA, ℓA, ℓZ

Take circumferential measurement cA just behind the joint at the base of the toes where the little toe begins.

The length of the foot for open toe stockings is determined by the length measurement & which is measured from the bottom of the heel to measurement point cA. The length of the foot for closed toe stockings is measured from the heel of the foot to the tips of the toes. (&Z-measure-ment)

cY

Take the circumferential measurement **cY**, around the heel and the instep, with the foot in maximum dorsal extension.

cB, ℓB

Take the circumferential measurement **cB** and length measurement **cB** at the narrowest circumference of the leg below the knee, directly above the ankle. This measurement above the ankle bones is especially important for selecting the stocking size, because the pressure here will be 100%.

cB¹, ℓB¹

The circumferential measurement cB^1 and the length measurement ℓB^1 are at the point where the calf begins, or at the transition point to the Achilles tendon.

cC, ℓC


Take the **cC** and **ℓC** length measurements at the widest circumference of the calf.

cD, ℓD

Take the circumference **cD** and length ℓ **D** measurements about two finger-widths below the patella respectively one finger-width below the hollow of the knee.

cF /F

The circumferential measurement **cE** is the circumference of the knee measured through the hollow of the knee in the middle of the kneecap. Take the length measurement **l** E when the leg is straight.



Circumferential measurement cF and length measurement ℓ F are located where the inner thigh muscle begins or in the middle of the thigh.

$cG, \ell G$

cF.ℓF

Take the **cG** and length measurement ℓ**G** about 3 cm below the crotch.




Take the circumferential measurement **cK** at the height of the g measurement, around both legs.

cH, ℓH

Take the circumferential measurement **cH** at hip level at the widest point of the buttocks.

cT, ℓT

Take the circumferential measurement **cT** round the waist.



Front panty top length Measure from the crotch to the waist. It is however more comfortable for the patient if you go 3 cm to the side of the crotch and measure the panty top length from there.

Back panty top length

Measure from the gluteal fold to the waist. If the patient requests a longer or shorter panty top, you must measure to the length the patient requests. The "waist" point is only the standard length.

Back panty

top length

mediven® colour spectrum

You can find all current trend colours for our round knit qualities at www.medi.de/en.

| Colour | mediven elegance | mediven for men | mediven comfort | mediven cotton | mediven plus | mediven active | mediven forte | mediven angio |
|--------------|---------------------|--------------------|--------------------|-------------------|-----------------|-------------------|------------------|------------------|
| Black | • | • | • | • | • | • | • | • |
| Anthracite | • | • | • | | • | • | • | |
| Grey | 0 | | 0 | | 0 | | 0 | |
| Navy | • | • | • | | • | • | • | |
| Cashmere | • | | • | | • | | • | |
| Caramel | • | | • | • | • | | • | • |
| Sand | • | | • | | • | | • | |
| Beige | • | | 0 | | • | | 0 | |
| medi Magenta | 0 | | | | 0 | | | |
| White | 0 | | | | 0 | • | | |
| Brown | | • | | | | • | | |

O Delivery period up to 10 working days.

mediven[®] Product range overview Length and fastening

| Length | Fastening | mediven elegance | mediven for men | mediven comfort | mediven cotton | mediven plus | mediven active | mediven forte | mediven angio |
|--------|--|---------------------|--------------------|--------------------|-------------------|-----------------|-------------------|------------------|------------------|
| AD | Tricot border | • | • | • | • | • | • | • | • |
| | Silicone dot topband (NoB) | • | | • | | • | | • | |
| | Narrow silicone dot topband (sNoB) | • | | • | | • | | • | |
| | Silicone micro dot topband sensitive (MBs) | • | | • | | • | | • | |
| AF | Tricot border | • | | | | • | | • | |
| | Silicone micro dot topband sensitive (MBs) | • | | • | | • | | • | |
| | Plain silicone topband rose (FBR) | • | | • | | • | | • | |
| | Silicone dot topband (NoB) | • | | • | | • | | • | |
| | Silicone dot topband motif (NoM) | • | | • | | • | | • | |
| AG | Tricot border | • | | | | • | | • | |
| | Hip fastening | | | | | • | | • | |
| | Silicone micro dot topband sensitive (MBs) | • | | • | • | • | | • | |
| | Plain silicone topband rose (FBR) | • | | • | | • | | • | |
| | Silicone dot topband (NoB) | • | | • | • | • | | • | |
| | Silicone dot topband motif (NoM) | • | | • | | • | | • | |

| Length | Fastening | mediven elegance | mediven for men | mediven comfort | mediven cotton | mediven plus | mediven active | mediven forte | mediven angio |
|--------|-------------------------------|---------------------|--------------------|--------------------|-------------------|-----------------|-------------------|------------------|------------------|
| AT | Standard panty top | • | | | • | • | | • | |
| | Comfort panty top | | | • | | | | | |
| | Maxi panty top | | | | | • | | | |
| | Light compr. panty top | • | | | | • | | • | |
| | Moderate compr. panty top | | | | | • | | • | |
| | highly compr. panty top | | | | | • | | • | |
| | Gusset selection page 80 – 87 | • | | • | | • | | • | |
| AT/U | closed panty top | • | | | | • | | • | |
| | open panty top | • | | | | • | | • | |
| | Light compr. panty top | • | | | | • | | • | |
| | Gusset selection page 80 – 87 | • | | | | • | | • | |
| AT/H | Slit across | | | | | • | | • | |
| | Light compr. panty top | | | | | • | | • | |
| | Moderate compr. panty top | | | | | • | | • | |
| | highly compr. panty top | | | | | • | | • | |
| | Gusset selection page 80 – 87 | | | | | • | | • | |
| AT / E | right | | | | | • | | • | |
| | left | | | | | • | | • | |
| | Light compr. panty top | | | | | • | | • | |
| | Moderate compr. panty top | | | | | • | | • | |
| | highly compr. panty top | | | | | • | | • | |
| | Men's gusset | | | | | • | | • | |
| | U-Gusset | | | | | • | | • | |
| | Gusset selection page 80 – 87 | | | | | • | | • | |

| Compression Classes | | Products |
|------------------------|---|---|
| 1 mild compression | Compression in mmHg: 18.0 – 21.0 Compression in kPa: 2.4 – 2.8 | mediven elegance (open + closed toe) mediven for men (closed toe) mediven active (closed toe) mediven comfort (open + closed toe) mediven cotton (open + closed toe) mediven plus (open + closed toe) mediven angio (closed toe) duomed (open + closed toe) |
| 2 moderate compression | Compression in mmHg: 23.0 – 32.0 Compression in kPa: 3.1 – 4.3 | mediven elegance (open + closed toe) mediven for men (closed toe) mediven active (closed toe) mediven comfort (open + closed toe) mediven cotton (open + closed toe) mediven plus (open + closed toe) mediven forte (open + closed toe) mediven angio (closed toe) duomed (open + closed toe) |
| 3 strong compression | Compression in mmHg: 34.0 – 46.0 Compression in kPa: 4.5 – 6.1 | mediven plus (open + closed toe) mediven forte (open + closed toe) |





mediven sheer & soft®

medi's most translucent compression stocking.

medi tip¹:

Due to the material thickness, the fit and the product characteristics, we recommend mediven sheer & soft for:


- Women
- Normal weight
- · No tendency to venous oedema
- Firm connective tissue

Indications²

- Chronic venous: disease stages COs to C2r according to CEAP
- Initial phase after varicose vein therapy
- Superficial venous thrombosis Thrombosis prophylaxis in mobile patients

Features

- · Extremely sheer, not distinguishable from fashion stockings
- · Soft and gentle on the skin
- · Available with open toe3





Attractive topband



Knee length stocking (AD)



Panty (AT)



Open toe – detail

Please note that this recommendation does not replace a doctor's diagnosis or professional advice from a specialist medical retailer.
 Selecting the ideal compression stockings depends on the indication and the individual needs of the patients.
 mediven sheer & soft, open toe in Ebony: delivery period up to 7 weeks.

Product benefits





| mediven sheer | & soft | | | |
|---------------|-----------|--------------|-----------|--------------|
| Styles | AD | AD pte. | AG | AG pte. |
| | | | | |
| | calf | calf petite | thigh | thigh petite |
| 15 – 20 mmHg | O140x11-7 | 0147x11-7 | O161x11-7 | O151x11-7 |
| 20 – 30 mmHg | O240x11-7 | O247x11-7 | O261x11-7 | O251x11-7 |
| Styles | AT | AT pte. | | |
| | | | | |
| | panty | panty petite | | |
| 15 – 20 mmHg | 0110x11-7 | 0117x11-7 | | |
| 20 – 30 mmHg | O210x11-7 | O217x11-7 | | |

See the last page for the article numbers

| Standard styles | | |
|-----------------|---------|--|
| Shoe size | 35 – 42 | |

| Material composition | | | | | |
|----------------------|----------------|---------------|--|--|--|
| | Polyamide (PA) | Elastane (EL) | | | |
| 15-20 mmHg | 64 % | 36 % | | | |
| 20-30 mmHg | 64 % | 36 % | | | |
| Washing instr | uctions | | | | |
| Wash-and-wear 圖 A A | | | | | |

| Meas | Measuring mediven sheer & soft | | | | | | | |
|----------------------------------|------------------------------------|---------------------|------------|-------------|----------------------------------|-------------|-------------|--|
| Size | Circumfere | Circumference in cm | | | | | | |
| | 1 | II | III | IV | V | VI | VII | |
| cG | 42 – 57 | 45 – 61,5 | 49 – 66,5 | 52 – 73 | 56 – 79 | 60 – 84,5 | 64 – 87,5 | |
| cD | 26 – 33,5 | 28 – 37 | 30 – 40 | 32 – 43 | 33,5 – 46,5 | 35,5 – 49,5 | 37,5 – 52,5 | |
| cC | 28 – 35,5 | 30 – 39 | 32,5 – 42 | 35 – 45 | 37 – 48,5 | 39,5 – 51,5 | 41,5 – 54,5 | |
| сВ | 18 – 20 | 20,5 – 22,5 | 23 – 25 | 25,5 – 27,5 | 28 – 30 | 30,5 – 33 | 33,5 – 36 | |
| Lengt | h | | | | | | | |
| Calf stocking petite: 34 – 38 cm | | | 34 – 38 cm | Thigh stoc | king / panty p | etite: | 62 – 71 cm | |
| Calfs | Calf stocking standard: 39 – 44 cm | | | | Thigh stocking / panty standard: | | | |

Material

Light

Compression class

15 – 20 mmHg, 20 – 30 mmHg

Standard colours

S = Standard









mediven elegance®

All you see is beauty. Effective compression has never looked so good.

medi tip1:

Due to the material thickness, the fit and the product characteristics, we recommend mediven elegance for:

- Women
- · Normal weight
- · No tendency to venous oedema
- Firm connective tissue

Indications²

- Chronic venous disease stages COs C2r according to CEAP
- Initial phase following varicose therapy
- Superficial venous thrombosis
- Thrombosis prophylaxis in mobile patients
- Inflammatory dermatoses of the legs
- · Nausea and dizziness in pregnancy

Features

- Transparent fine stocking style
- Soft Elastic foot tip guarantees more freedom for the toes
- Wide and soft cuff for knee length style
- · Smaller heel for wrinkle-free fit
- · Attractive topband motifs for thigh-length stockings


Washing instructions

Easy care ₩ 🕸 🖸 🗷 🛇 Suitable for washing machine and drier.





Soft elastic foot tip



Plain silicone topband rose (FBR)



Knee length stocking (AD) with soft cuff

 $^{^1 \} Please \ note that this \ recommendation \ does \ not \ replace \ a \ doctor's \ diagnosis \ or \ professional \ advice from \ a \ specialist \ medical \ retailer.$ $^2 \ Selecting \ the \ ideal \ compression \ stockings \ depends \ on \ the \ indication \ and \ the \ individual \ needs \ of \ the \ patients.$

Product benefits











OEKO 100
TEX® 96.0.1369/1
Hohenstein HTTI



cf. Ben Ammar, F. (Dermscan): Clinical evaluation of the skin compatibility of a medical device - application testing realized under dermatological control, Tunis 2012/2013.

| mediven ele | gance | | | | |
|-------------|------------------------------------|-------------|--------------|-----------------|------------------------|
| Styles | AD | AD pte. | AG | AG pte. | AG/FBR |
| | | | | | |
| | calf narrow silicone topband | calf petite | thigh | thigh petite | thigh with topband |
| Class 1 | 0140x11-7 | 0147x11-7 | 0160x11-7 | 0150x11-7 | 016Hx11-7 |
| Class 2 | 0240x11-7 | 0247x11-7 | 0260x11-7 | 0250x11-7 | 026Hx11-7 |
| Styles | AG pte./FBR | AT | AT pte. | AT/U | AT/U pte. |
| | | | | | |
| | thigh petite with topband | panty | panty petite | maternity panty | maternity panty petite |
| Class 1 | 015Hx11-7 | 0110x11-7 | 0117x11-7 | 0120x11-7 | 0127x11-7 |
| Class 2 | 025Hx11-7 | 0210x11-7 | 0217x11-7 | 0220x11-7 | 0227x11-7 |

See the last page for the article numbers



Available with sparkling crystals

Material

Light

Compression class

CCL 1, 2

Standard colours

S = Standard M = Made-to-measure

| M = Made-to-measure |
|----------------------|
| Black s+M |
| Anthracite S+M |
| Grey* s+M |
| Navy S+M |
| Cashmere s+M |
| Caramel S+M |
| Sand S+M |
| Beige s+m |
| medi Magenta* S+M |
| White* |


* Delivery period up to 10 working days.

S + M

| Standard styles | | | |
|-----------------|---|--|--|
| Standard | Size I – VII, Length regular and petite, topband regular and wide | | |
| Made-to-measure | available | available | |
| Special models | available, see | available, see pages 70 – 87 | |
| Border | AD | tricot border, silicone dot topband, narrow silicone dot topband, silicone micro dot topband sensitive | |
| | AF and AG | tricot border, Silicone dot topband, Silicone dot topband motif, Plain silicone topband rose, Silicone micro dot topband sensitive | |
| | | All topbands are standard styles. | |
| Gusset | AT | Comfort gusset | |
| | AT / U | with closed panty top | |
| Foot part | open toe, clos | open toe, closed toe, Shoe size 36 – 43 | |

| Materia | al composition | | |
|---------|----------------|---------------|--|
| | Polyamide (PA) | Elastane (EL) | |
| CCL1 | 66% | 34% | |
| CCL 2 | 61% | 39% | |

Measurement chart





More information on the medi accessories from page 128

¹ In general, the following applies for donning and doffing aids: Rabe E et al. Medical compression therapy of the extremities with medical compression stockings (MCS), phlebological compression bandages (PCB), and medical adaptive compression systems (MAC): S2k guideline of the German Phlebology Society (DCP) in cooperation with the following professional associations: DDG, DGA, DGG, GDL, DGL, BVP. Hautarzt 2021;72(2):137-152.







mediven® for men

The elegant compression sock.

medi tip1:

Due to the material thickness, the fit and the product characteristics, we recommend mediven for men for:

- Men
- · Normal weight
- · No / light tendency to venous oedema
- · Also for soft connective tissue

Indications²

- Chronic venous disease stages COs C3 according to CEAP
- · Postoperative reperfusion oedema
- · Post-traumatic, postoperative, occupational, medicinally induced oedema
- · Oedema due to immobility
- · Superficial venous thrombosis
- Thrombosis prophylaxis in mobile
- · Inflammatory dermatoses of the legs

Features

- Anatomical toe design with practical right/left markings for a perfect fit and user comfort
- · Stylish Business Rib Design
- Added lanolin³
- · Clima Fresh for long-lasting freshness on the leg and foot
- Extra-wide and especially soft comfort cuff
- Suitable for shoe sizes 39 46

Washing instructions

Easy care ₩ 🕸 🖸 🗷 🛇 Suitable for washing machine and drier.





Knee length sock (AD) in fashionable Business Rib Design with comfort cuffs



Anatomically shaped foot with right and left markings

Please note that this recommendation does not replace a doctor's diagnosis or professional advice from a specialist medical retailer.
 Selecting the ideal compression stockings depends on the indication and the individual needs of the patients.
 Natural substance used to care dry and chapped skin, has a broad range of applications, for example in child care and baby care.












cf. Ben Ammar, F. (Dermscan): Clinical evaluation of the skin compatibility of a medical device - application testing realized under dermatological control, Tunis 2012/2013.



See the last page for the article numbers

| | | oce the last page for the article numbers | | | | |
|-----------|----------------|---|--|--|--|--|
| Standar | d styles | | | | | |
| Standard | I | Size I – VII, Length standard and petite | | | | |
| Special m | nodels | not available | | | | |
| Border | | AD Tricot border | | | | |
| Foot part | t | closed toe shoe size 39 – 46 | | | | |
| Materia | l composition | | | | | |
| | Polyamide (PA) | Elastane (EL) | | | | |
| CCL 1 | 77% | 23% | | | | |
| CCL 2 | 71% | 29% | | | | |

| Standard fit without seam | | | 1 | H | Ш | IV | V | VI | VII |
|---------------------------|------------------|-------|--------------------|------------|---------|---------|-----------|---------------|---------|
| <i>t</i> =Length | E | cD | 27 – 33 | 29-36 | 32 – 39 | 34-42 | 36-45 | 38-48 | 40-50 |
| c=Circumference | | cC | 28-34 | 30-37 | 33-40 | 35 – 43 | 37 – 46 | 39 – 49 | 41-51 |
| | once | cB: | 23 – 27 | 24 – 29 | 26 – 32 | 29 – 35 | 31-37 | 33 – 39 | 35-41 |
| cD cD | Circumference in | сВ | 18 – 20 | 20 – 22 | 22 – 24 | 24 – 26 | 26 – 28 | 28 – 30 | 30 – 32 |
| | | | 26 – 31 | 28-33 | 29 – 35 | 31-37 | 32 – 38 | 33-40 | 34-42 |
| ac cc | Ċ | cA | 17 – 22 | 19-24 | 21-26 | 23 – 29 | 25 – 32 | 27 – 34 | 28 – 35 |
| _{в1} св1 | | | | | | | | | |
| CDI | اج او | | <i>ℓ</i> D regular | 39 – 44 cm | | Foot | closed to | e shoe size 3 | 9-46 |
| | Length | ments | ℓD petite | 34 – 38 cm | | | | | |
| <i>ℓ</i> В сВ | Le | F | | | | | | | |



¹ In general, the following applies for donning and doffing aids: Rabe E et al. Medical compression therapy of the extremities with medical compression stockings (MCS), phlebological compression bandages (PCB), and medical adaptive compression systems (MAC): S2k guideline of the German Phlebology Society (DGP) in cooperation with the following professional associations: DDG, DGA, DGG, GDL, DGL, BVP. Hautarzt 2021;72(2):137-152.

Material

Light

Compression class

CCL 1, 2

Standard colours

S = Standard







mediven comfort®

All you feel is softness. The cuddly side of compression.

medi tip1:

Due to the material thickness, the fit and the product characteristics, we recommend mediven comfort for:

- Women
- Normal weight / overweight²
- Light to severe tendency to venous oedema²
- Firm connective tissue

Indications³

- · Chronic venous disease stages COs - C4 according to CEAP
- Initial phase following varicose therapy
- · Congestion problems and oedema during pregnancy
- · Postoperative reperfusion oedema
- Post-traumatic, postoperative, occupational, medicinally induced oedema
- · Oedema due to immobility
- · Superficial venous thrombosis
- · Condition after thrombosis, postthrombotic syndrome
- Thrombosis prophylaxis in mobile patients
- Inflammatory dermatoses of the legs
- · Nausea and dizziness in pregnancy

Features

- · Particularly soft material for easy donning and doffing
- Added lanolin⁴
- · Double-knitted comfort sole for that enhanced feeling of comfort when walking



- Shaping comfort panty top
- Elastic and hard-wearing comfort gusset

Washing instructions Easy care ₩ 🕸 🖸 🗷 🛇 Suitable for washing machine and drier.

- Please note that this recommendation does not replace a doctor's diagnosis or professional advice from a specialist medical retailer.

 Use mediven comfort for serious oedema only for patients with normal weight. For people who are overweight and have severe oedema, medi recommends stronger materials to prevent lace-up grooves.

 Selecting the ideal compression stockings depends on the indication and the individual needs of the patients.

 Natural substance used to care dry and chapped skin, has a broad range of applications, for example in child care and baby care.



Comfort panty top



Double-knitted comfort sole



Silicone dot topband











cf. Ben Ammar, F. (Dermscan): Clinical evaluation of the skin compatibility of a medical device - application testing realized under dermatological control, Tunis 2012/2013.

| mediven co | mfort | | | | | |
|------------|-----------|-------------|-----------------------|--------------------------------|-----------|--------------|
| open toe | | | | | | |
| Styles | AD | AD pte. | AG/NoB | AG pte. / NoB | AT | AT pte. |
| | | | | | | |
| | calf | calf petite | thigh with topband | thigh petite with topband | panty | panty petite |
| Class 1 | Z540x01-7 | Z547x01-7 | Z569x01-7 | Z559x01-7 | Z510x01-7 | Z517x01-7 |
| Class 2 | Z640x01-7 | Z647x01-7 | Z669x01-7 | Z659x01-7 | Z610x01-7 | Z617x01-7 |
| closed toe | | | | | | |
| Styles | AD | AD pte. | AG / NoB | AG pte./NoB | AT | AT pte. |
| | | | | | | |
| | calf | calf petite | thigh with topband | thigh petite I with topband | panty | panty petite |
| Class 1 | Z540x11-7 | Z547x11-7 | Z569x11-7 | Z559x11-7 | Z510x11-7 | Z517x11-7 |
| Class 2 | Z640x11-7 | Z647x11-7 | Z669x11-7 | Z659x11-7 | Z610x11-7 | Z617x11-7 |

See the last page for the article numbers



Available with sparkling crystals

Material

Medium

Compression class

CCL 1, 2

Standard colours

S = Standard M = Made-to-measure

| Black s+M | |
|-------------------|---|
| Anthracite S+M | |
| Grey* s+M | TOTAL DESCRIPTION OF THE PARTY. |
| Navy S+M | 100000 |
| Cashmere s+M | ******** |
| Caramel S+M | 000000000000000000000000000000000000000 |
| Sand S+M | 100000000000000000000000000000000000000 |


* Delivery period up to 10 working days.

Beige*

| Standard styles | | | | | | |
|-----------------|----------------|---|--|--|--|--|
| Standard | O | Size I – VII, Length standard and petite, topband standard and wide | | | | |
| Made-to-measure | available | | | | | |
| Special models | available, see | pages 70 – 87 | | | | |
| Border | AD | tricot border, silicone dot topband, narrow silicone dot topband, silicone micro dot topband sensitive | | | | |
| | AG | Silicone dot topband, Silicone dot topband motif, Plain silicone topband rose, Silicone micro dot topband sensitive | | | | |
| | | All topbands are standard styles. | | | | |
| Gusset | AT | Comfort gusset | | | | |
| Foot part | open toe, clos | ed toe, Shoe size 36 – 43 | | | | |

| Material composition | | | | | | | |
|----------------------|----------------|---------------|--|--|--|--|--|
| | Polyamide (PA) | Elastane (EL) | | | | | |
| CCL1 | 68% | 32% | | | | | |
| CCL 2 | 65% | 35% | | | | | |

Measurement chart





¹ In general, the following applies for donning and doffing aids: Rabe E et al. Medical compression therapy of the extremities with medical compression stockings (MCS), phlebological compression bandages (PCB), and medical adaptive compression systems (MAC): Szk guideline of the German Phlebology Society (DCP) in cooperation with the following professional associations: DDG, DGA, DGG, GDL, DGL, BVP. Hautarzt 2021;72(2):137-152.







mediven® cotton

Naturally well cared for.

medi tip1:

Due to the material thickness, the fit and the product characteristics, we recommend mediven cotton for:

- · Women / men
- · Normal weight / overweight
- Light to heavy tendency to venous oedema
- · Also for soft connective tissue

Indications²

- · Chronic venous disease stages COs - C4 according to CEAP
- Initial phase following varicose therapy
- · Congestion problems and oedema during pregnancy
- Postoperative reperfusion oedema
- Post-traumatic, postoperative, occupational, medicinally induced oedema
- · Oedema due to immobility
- · Superficial venous thrombosis
- · Condition after thrombosis, postthrombotic syndrome
- · Thrombosis prophylaxis in mobile patients
- · Inflammatory dermatoses of the legs
- · Nausea and dizziness in pregnancy

Features

- First medical compression stocking with organic cotton – lined on the inside of the stocking for direct skin
- Polyamide yarn with recycled content for effective and resource-saving compression

- Thermoregulating effect cooling in hot temperatures and warming in cold weather
- · Ideal compression solution for patients with atopic and sensitive skin – dermatologically proven via dermatest
- Opaque look

Washing instructions

Easy care ₩ 🕸 🖸 🗷 🛇 Suitable for washing machine and drier.

Please note that this recommendation does not replace a doctor's diagnosis or professional advice from a specialist medical retailer. Selecting the ideal compression stockings depends on the indication and the individual needs of the patients.





Double woven with organic cotton yarn



Organic cotton – directly on the skin



Open toe – very narrow border

















| mediven co | tton | | | | | |
|------------|-----------|-------------|-----------------------|--------------------------------|-----------|--------------|
| open toe | | | | | | |
| Styles | AD | AD pte. | AG/NoB | AG pte. / NoB | AT | AT pte. |
| | | | | | | |
| | calf | calf petite | thigh with topband | thigh petite with topband | panty | panty petite |
| Class 1 | Y540x01-7 | Y547x01-7 | Y569x01-7 | Y559x01-7 | Y510x01-7 | Y517x01-7 |
| Class 2 | Y640x01-7 | Y647x01-7 | Y669x01-7 | Y659x01-7 | Y610x01-7 | Y617x01-7 |
| closed toe | | | | | | |
| Styles | AD | AD pte. | AG/NoB | AG pte./NoB | AT | AT pte. |
| | | | | | | |
| | calf | calf petite | thigh with topband | thigh petite I with topband | panty | panty petite |
| Class 1 | Y540x11-7 | Y547x11-7 | Y569x11-7 | Y559x11-7 | Y510x11-7 | Y517x11-7 |
| Class 2 | Y640x11-7 | Y647x11-7 | Y669x11-7 | Y659x11-7 | Y610x11-7 | Y617x11-7 |
| | | | | | | |

See the last page for the article numbers

Material

Medium

Compression class

CCL 1, 2

Standard colours

S = Standard M = Made-to-measure*

Black s+m

Caramel s+M

Delivery period up to 10 working days.

| Standard styles | | | | | | | |
|-----------------|------------|---|--|--|--|--|--|
| Standard | Length sta | Size I – VII, Length standard and petite, topband standard and wide | | | | | |
| Made-to-measure | available | available | | | | | |
| Special models | not availa | ble | | | | | |
| Border | AD | tricot border | | | | | |
| | AG | Silicone dot topband, Silicone micro dot topband sensitive | | | | | |
| | | All topbands are standard styles. | | | | | |
| Gusset | AT | Standard gusset | | | | | |
| Foot part | open toe, | closed toe, Shoe size 36 – 43 | | | | | |

| Material composition | | | | | | | | |
|----------------------|-----------------|----------------|---------------|--|--|--|--|--|
| | Polyamide (PA)* | Organic cotton | Elastane (EL) | | | | | |
| CCL1 | 51% | 27 % | 22% | | | | | |
| CCL 2 | 46% | 27 % | 27% | | | | | |

^{*}With a recycled content of 60 percent

| Standard fit withou | ıt sea | m | | | I . | | H | Ш | IV | V | VI | VII |
|---------------------|-----------------------------------|---------------------|--------|----------------|-----------------------|------------|---------------|---------------|--------------------|--------------------|---------------|---------------|
| AT gusset | | cT | from | from 60 – 125 | | m 60 – 125 | from 60 – 125 | from 60 – 125 | from 60 – 125 | from 60 – 125 | from 60 – 125 | |
| Al gusset | | | cН | from | 80-135 fror | | m 80 – 135 | from 80 – 135 | from 80 – 135 | from 80 – 135 | from 80 – 135 | from 80 – 135 |
| AG with topband, no | AG with topband, normal cG | | 43 – 4 | -48 | | -52 | 49 – 56 | 53 – 60 | 56-64 | 60-68 | 64 – 72 | |
| AG with topband, wi | de | | cG | 49 – 5 | 57 | 53 | -62 | 57 – 67 | 61-72 | 65 – 77 | 69-81 | 73 – 85 |
| <i>t</i> =Length | | | cG | 43 – 5 | 57 | 45 | -62 | 49-67 | 53 – 72 | 56 – 77 | 60-81 | 64-85 |
| c=Circumference | | E | cF | 39 – ! | 52 | 41 | -56 | 44-60 | 47 – 65 | 50-69 | 53 – 73 | 57 – 78 |
| ag d | сG | Circumference in cm | cE | 30-3 | 37 | 33 | -40 | 35 – 43 | 37 – 45 | 39-48 | 41-51 | 42 – 53 |
| a H | CG | i ə | cD | 27 – 3 | 33 | 33 29-36 | | 32 – 39 | 34 – 42 | 36-45 | 38-48 | 40 – 50 |
| | | erer | cC | 28 – 3 | 28-34 | | -37 | 33-40 | 35-43 | 37 – 46 | 39-49 | 41-51 |
| a | cF | μ̈́ | cB1 | 23-27 | | 24 | - 29 | 26 – 32 | 29 – 35 | 31-37 | 33 – 39 | 35 – 41 |
| | | iz | сВ | 18 – 2 | 20 | 20 | -22 | 22 – 24 | 24 – 26 | 26 – 28 | 28 – 30 | 30 – 32 |
| | _ | Ü | cY | 26 – 3 | 31 28-33 | | 29-35 | 31-37 | 32 – 38 | 33-40 | 34 – 42 | |
| a H | cE cD | | cA | 17-2 | 22 19-24 | | 21-26 | 23 – 29 | 25 – 32 | 27 – 34 | 28 – 35 | |
| a T | cC | | | | | | | | | | | |
| | | nts | ℓG reg | gular | 72 – 83 cn | n | Foot | Highly elas | tic universal foot | size, shoe size 36 | -43 | |
| ∕B1 ♣ | cB1 | Length surements | ℓG pet | ite | 62 – 71 cm | n | | | | | | |
| cB . | сВ | Len | ℓD reg | Dregular 39-44 | | n | | | | | | |
| 75 | cY | me | ℓD pet | tite | t e 34 – 38 cm | | | | | | | |
| CA CA | cA | | | | | | | | | | | |



¹ In general, the following applies for donning and doffing aids: Rabe E et al. Medical compression therapy of the extremities with medical compression stockings (MCS), phlebological compression bandages (PCB), and medical adaptive compression systems (MAC): S2K guideline of the German Phlebology Society (DCP) in cooperation with the following professional associations: DDG, DGA, DGG, GDL, DGL, BVP. Hautarzt 2021;72(2):137-152.







mediven[®] plus

All you experience is reliability. Compression has never proven so trustworthy.

medi tip1:

Due to the material thickness, the fit and the product characteristics, we recommend mediven plus for:

- Women / men
- Normal weight / overweight
- Light to heavy tendency to venous oedema
- · Also for soft connective tissue

Indications²

- Chronic venous disease stages
 COs C5 according to CEAP
- Initial phase following varicose therapy
- Congestion problems and oedema during pregnancy
- Postoperative reperfusion oedema
- Post-traumatic, postoperative, occupational, medicinally induced oedema
- · Oedema due to immobility
- Superficial venous thrombosis
- Deep leg vein thrombosis
- Condition after thrombosis, postthrombotic syndrome
- Thrombosis prophylaxis in mobile patients
- Inflammatory dermatoses of the legs
- · Nausea and dizziness in pregnancy

Features

- Very hard-wearing and opaque
- Optimal fit thanks to the plus heel, optimised toe, ribbed sole reinforcement and wide cuff
- Especially recommended for heavier thighs
- Maxi panty top as standard version

Washing instructions

Easy care ₩ 🕸 🖸 🗷 🌣 Suitable for washing machine and drier.









Plus-heel and sole reinforcement



Wide cuff

¹ Please note that this recommendation does not replace a doctor's diagnosis or professional advice from a specialist medical retailer.













cf. Ben Ammar, F. (Dermscan): Clinical evaluation of the skin compatibility of a medical device - application testing realized under dermatological control, Tunis 2012/2013.

Class 3

| medive | n plus | | | | | | |
|---------|-------------------------|------------------|----------------------------|---------------------------------|--------------|---------------------------------|-----------------|
| Styles | AD | AD pte. | AG/NoB | AG/NoB pte. | AT | AT + maxi panty top | AT pte. |
| | | | | | | | |
| | calf | calf petite | thigh with topband | thigh petite with topband | panty | panty with maxi panty top | panty petite |
| Class 1 | 4A40x01-7 | 4A47x01-7 | 4A61x01-7 | 4A51x01-7 | 4A10x01-7 | 4AZ0x01-7 | 4A17x01-7 |
| Class 2 | 4B40x01-7 | 4B47x01-7 | 4B61x01-7 | 4B51x01-7 | 4B10x01-7 | 4BZ0x01-7 | 4B17x01-7 |
| Class 3 | 4C40x01-7 | 4C47x01-7 | 4C61x01-7 | 4C51x01-7 | 4C10x01-7 | 4CZ0x01-7 | 4C17x01-7 |
| Styles | ATE | A | TE pte. | AT/U | AT/U pte. | СТ | вт |
| | | | | | | | |
| | one legged _l | | ne legged pant etite | y mater panty | , | ity capri shorts | leggings |
| | right | left ri | ight left | | | | |
| Class 1 | 4AE3x01-7 | 4AE2x01-7 4 | AV3x01-7 4AV | 2x01–7 4A20x | 01–7 4A27x0 | 1–7 made-to- | - made-to- |
| | | | BV3x01-7 4BV | | | 1-7 measure | measure |
| | | | CV3x01–7 4CV | | (01–7 4C27x0 | | |
| Styles | ET | AT/H | AT / H pte. | AG | | AG pte. | |
| | | | | | | | |
| | cycling short | men's leotard | men's leotard petite | thigh with waist at | tachment | thigh with w attachment | |
| | | | | right | left | right | left |
| Class 1 | made to | 4A30x01-7 | 4A37x01-7 | 4A63x01-7 | | 4A53x01-7 | 4A52x01-7 |
| Class 2 | made-to- measure | 4B30x01-7 | 4B37x01-7 | 4B63x01-7 | 4B62x01-7 | 4B53x01-7 | 4B52x01-7 |
| Class | | 102001 7 | 162701 7 | 1662 01 7 | 100201 7 | 105201 7 | 105201 7 |

See the last page for the article numbers

4C30x01-7 4C37x01-7 4C63x01-7 4C62x01-7 4C53x01-7 4C52x01-7

Material

Medium

Compression class

CCL 1, 2, 3

Standard colours

S = StandardM = Made-to-measure

| Black S+M |
|-------------------|
| Anthracite S+M |
| Grey* s+M |
| Navy s+m |
| Cashmere s+m |
| Caramel |

| | | | E I STATE |
|--|--|--|-----------|

| S + M | | |
|-------|--|--|
| Poigo | | |

| S + M | | | |
|-------|--|-------|--|
| | | (BHH) | |

S + M

| aconomica de la compansión de la compans | REPRESENTATION OF THE PROPERTY |
|--|--|
| White* | |
| S + M | |

* Delivery period up to 10 working days.



Available with sparkling crystals

| Standard styles | | | | | | | | | |
|-----------------|--------------------|--|--|--|--|--|--|--|--|
| Standard | Size I – VII, Ler | Size I – VII, Length regular and short, topband regular and wide | | | | | | | |
| Made-to-measure | available | available | | | | | | | |
| Special models | available, see | pages 70 – 87 | | | | | | | |
| Border | AD | tricot border, silicone dot topband, narrow silicone dot topband, silicone micro dot topband sensitive | | | | | | | |
| | AF and AG | Silicone dot topband, Silicone dot topband motif, Plain silicone topband rose, Silicone micro dot topband sensitive | | | | | | | |
| | | All topbands are standard styles | | | | | | | |
| Gusset | AT | Size I – III: Crotch gusset Size IV – VII: Narrow gusset, back to waist | | | | | | | |
| | Maxi panty top: | Size I – III: narrow gusset, back to waist Size IV – V: wide gusset, back to waist Size VI – VII: extra-wide gusset, back to waist | | | | | | | |
| | AT / U | with closed panty top | | | | | | | |
| | AT/H | opening horizontal | | | | | | | |
| Foot part | open toe, close | ed toe, shoe size 36 – 43 | | | | | | | |
| • | | | | | | | | | |

| Materia | al composition | |
|---------|----------------|---------------|
| | Polyamide (PA) | Elastane (EL) |
| CCL1 | 75% | 25% |
| CCL 2 | 69% | 31% |
| CCL 3 | 63% | 37% |

| Standard fit without sea | m | | | I | П | | III | | IV | V | VI | VII |
|--------------------------|---------------------|---|---------------|-----------|---------|------|---------------|------|----------------|------------------|----------------|----------------|
| AT gusset | | cT | from 6 | 0-95 | from 60 | 95 | from 60 – 95 | 5 | from 80 – 125 | from 80 – 125 | from 80 – 125 | from 80 – 125 |
| | | cН | from 80 – 110 | | from 80 | -110 | from 80 – 13 | 10 | from 100 – 145 | from 100 – 145 | from 100 – 145 | from 100 – 145 |
| AG with topband, normal | | cG | 43 – 4 | 8 | 45 – 52 | | 49 – 56 | | 53-60 | 56-64 | 60-68 | 64 – 72 |
| AG with topband, wide | | cG | 49 – 5 | 7 | 53-62 | | 57 – 67 | | 61-72 | 65 – 77 | 69-81 | 73 – 85 |
| <i>t</i> =Length | | cG | 43 – 5 | 7 | 45 – 62 | | 49 – 67 | | 53 – 72 | 56 – 77 | 60-81 | 64-85 |
| c=Circumference | = | cF | 39-5 | 2 | 41-56 | | 44-60 | | 47 – 65 | 50-69 | 53 – 73 | 57 – 78 |
| cG cG | Circumference in cm | cE | 30 – 3 | 7 | 33-40 | | 35-43 | | 37 – 45 | 39-48 | 41-51 | 42 – 53 |
| a de la cui | i e i | cD | 27-3 | 3 | 29-36 | | 32 – 39 | | 34 – 42 | 36 – 45 | 38-48 | 40 – 50 |
| | erei | cC | 28 – 3 | 4 | 30-37 | | 33-40 | | 35 – 43 | 37-46 | 39-49 | 41 – 51 |
| εF ← CF | Ę | cB1 | 23 – 2 | 7 | 24 – 29 | | 26 – 32 | | 29 – 35 | 31-37 | 33 – 39 | 35 – 41 |
| | i i | сВ | 18-2 | 0 | 20 – 22 | | 22 – 24 | | 24 – 26 | 26 – 28 | 28 – 30 | 30 – 32 |
| | | cY | 26 – 3 | 1 | 28 – 33 | | 29 – 35 | | 31-37 | 32 – 38 | 33-40 | 34-42 |
| Œ CE CD | | cA | 17 – 2 | 2 | 19 – 24 | | 21-26 | | 23 – 29 | 25 – 32 | 27-34 | 28-35 |
| ac ac ac | | | | | | 0.51 | y with medive | | us AT | | | |
| | nts | ℓG reg | gular | 72 – 83 c | m | We | | | | a body circumfer | ence of: | |
| €B1 CB1 | gth | ℓG pe | tite | 62 – 71 c | m | Size | 1-111 | | from 95 cm | H = from 110 c | | |
| | Length asureme | ℓD reg | gular | 39-44 c | m . | Size | IV-V | | from 120 cm | H = from 135 c | | |
| CB CY | CR & | ℓD pe | | 34 – 38 c | m m | Cino | | | from 140 cm | H = from 145 c | | |
| | _ | ιυ pe | lite | 34-36 C | 111 | Size | VI – VII | vv = | 110111 140 CM | H = 110M 145 C | m | |
| cA CA | Highly ela | Highly elastic universal foot size, shoe size 36 – 43 | | | | | | | | | | |



¹ In general, the following applies for donning and doffing aids: Rabe E et al. Medical compression therapy of the extremities with medical compression stockings (MCS), phlebological compression bandages (PCB), and medical adaptive compression systems (MAC): S2K guideline of the German Phlebology Society (DCP) in cooperation with the following professional associations: DDG, DGA, DGG, GDL, DGL, BVP. Hautarzt 2021;72(2):137-152.







mediven® active

The hard wearing compression sock.

medi tip1:

Due to the material thickness, the fit and the product characteristics, we recommend mediven active for:

- Men
- Normal weight / overweight
- Light to heavy tendency to venous oedema
- · Also for soft connective tissue

Indications²


- Chronic venous disease stages COs – C4 according to CEAP
- · Postoperative reperfusion oedema
- Post-traumatic, postoperative, occupational, medicinally induced oedema
- · Oedema due to immobility
- · Superficial venous thrombosis
- · Condition after thrombosis, postthrombotic syndrome
- · Thrombosis prophylaxis in mobile patients
- · Inflammatory dermatoses of the legs

Features

- Imperceptible and barely visible seam
- · Fine-ribbed design barely distinguishable from men's socks
- Comfort sole with heel reinforcement, withstands even the toughest conditions
- · Soft and wide cuff for increased wearing comfort
- Very robust knitted fabric
- Suitable for shoe sizes 38 48

Washing instructions

Easy care ₩ 🕸 🖸 🗷 🛇 Suitable for washing machine and drier.









Comfort sole


 $^{^1 \} Please \ note that this \ recommendation \ does \ not \ replace \ a \ doctor's \ diagnosis \ or \ professional \ advice from \ a \ specialist \ medical \ retailer.$ $^2 \ Selecting \ the \ ideal \ compression \ stockings \ depends \ on \ the \ indication \ and \ the \ individual \ needs \ of \ the \ patients.$







cf. Ben Ammar, F. (Dermscan): Clinical evaluation of the skin compatibility of a medical device - application testing realized under dermatological control, Tunis 2012/2013.



See the last page for the article numbers

| Standard styles | |
|-----------------|---|
| Standard | Size I – VII, Length standard and petite |
| Special models | not available |
| Border | AD Tricot border |
| Foot part | closed toe shoe size 38 – 48 |

| Materi | al composition | |
|--------|----------------|---------------|
| | Polyamide (PA) | Elastane (EL) |
| CCL1 | 90% | 10% |
| CCL 2 | 89% | 11% |

Material

Strong

Compression class

CCL 1, 2


Standard colours

S = Standard





 Delivery period up to 10 working days.





¹ In general, the following applies for donning and doffing aids: Rabe E et al. Medical compression therapy of the extremities with medical compression stockings (MCS), phlebological compression bandages (PCB), and medical adaptive compression systems (MAC): S2k guideline of the German Phlebology Society (DCP) in cooperation with the following professional associations: DDG, DGA, DGG, GDL, DGL, BVP. Hautarzt 2021;72(2):137-152.





mediven® forte

All you feel is protection. Pleasant compression has never been so powerful.

medi tip1:

Due to the material thickness, the fit and the product characteristics, we recommend mediven forte for:

- · Women/men
- · Overweight / obese
- Light to heavy tendency to venous oedema
- · Also for soft connective tissue

Indications²

- Chronic venous disease stages COs C5 according to CEAP
- Initial phase following varicose therapy
- · Functional venous insufficiency due to
- · Congestion problems and oedema during pregnancy
- · Postoperative reperfusion oedema
- · Post-traumatic, postoperative, occupational, medicinally induced oedema
- · Oedema due to immobility
- · Superficial venous thrombosis
- Deep leg vein thrombosis
- · Condition after thrombosis, postthrombotic syndrome
- Thrombosis prophylaxis in mobile patients
- · Inflammatory dermatoses of the legs
- · Nausea and dizziness in pregnancy

Features

- Extremely hard-wearing seamless material for optimum wearing comfort
- · Maximum pressure stability (high working pressure for a deep functional effect)
- Stable soft cuff at the AD finish
- Opaque
- · Clima Fresh over the whole leg for a feeling of freshness around the clock
- Two foot-lengths for series with foot tip:
 - Small foot up to 23 cm
- Large foot from 23 cm

Washing instructions

Easy care ₩ 🕸 🖸 🗷 🛇 Suitable for washing machine and drier.





Open toe - detail



Stable soft cuff at the AD finish



Double-knitted fabric

Please note that this recommendation does not replace a doctor's diagnosis or professional advice from a specialist medical retailer.
 Selecting the ideal compression stockings depends on the indication and the individual needs of the

patients.












cf. Ben Ammar, F. (Dermscan): Clinical evaluation of the skin compatibility of a medical device – application testing realized under dermatological control, Tunis 2012/2013.



See the last page for the article numbers

Material

Strong

Compression class

CCL 2, 3

Standard colours

S = Standard M = Made-to-measure

Black S+M

Anthracite S+M

Grey* s+M

Navy S+M

S+M Caramel

Cashmere

Sand S+M

Beige* S+M

* Delivery period up to 10 working days.



Available with sparkling crystals

| Standard styles | | | | | | | | |
|-----------------|-------------------|---|--|--|--|--|--|--|
| Standard | | Size I – VII, Length regular and petite, topband regular and wide | | | | | | |
| Made-to-measure | available | | | | | | | |
| Special model | available, see pa | available, see pages 70 – 87 | | | | | | |
| Border | AD | tricot border, silicone dot topband, narrow silicone dot topband, silicone micro dot topband sensitive | | | | | | |
| | AF and AG | Tricot border, Silicone dot topband, Silicone dot topband motif, Pl silicone topband rose, Silicone micro dot topband sensitive | | | | | | |
| | | All topbands are standard styles | | | | | | |
| Gusset | AT | Sizes I – III groin gusset Sizes IV – VII narrow gusset at the back up to the waist, | | | | | | |
| | AT/U | with closed panty top | | | | | | |
| | AT/H | opening horizontal | | | | | | |
| Foot part | open toe, closed | toe | | | | | | |
| | | | | | | | | |

| Materia | al composition | |
|---------|----------------|---------------|
| | Polyamide (PA) | Elastane (EL) |
| CCL 2 | 64% | 36% |
| CCL 3 | 64% | 36% |

| Standard fit without sear | m | | 1 | | II | III | IV | V | VI | VII |
|---------------------------|-------------------------|--------|---------|-----------|--------------|-----------------|----------------|----------------|----------------|----------------|
| AT gusset | | cT | from 60 | -95 fr | om 60 – 95 | from 60 – 95 | from 80 – 125 |
| | | сН | from 80 | -110 fr | rom 80 – 110 | from 80 – 110 | from 100 – 145 |
| AG with topband, normal | AG with topband, normal | | 44-47 | 4 | 6 – 50 | 50 – 54 | 53 – 58 | 56-61 | 60-65 | 64-70 |
| AG with topband, wide | | cG | 48 – 53 | 5 | 1-57 | 55 – 61 | 59-65 | 62 – 70 | 66 – 74 | 71-80 |
| <i>t</i> =Length | | cG | 44-53 | 4 | 6 – 57 | 50-61 | 53 – 65 | 56-70 | 60 – 74 | 64-80 |
| c=Circumference | _ | cF | 40 – 47 | 4: | 2-51 | 45 – 55 | 48 – 58 | 51-62 | 54-67 | 58 – 72 |
| CG CG | ı, | cE | 30-37 | 3 | 3-40 | 36 – 42 | 38-44 | 40-46 | 42 – 48 | 44-50 |
| | ie i | cD | 28-33 | 3 | 0-35 | 32 – 37 | 34-39 | 36-41 | 38-43 | 40-45 |
| cF ← CF | Circumference in cm | cC | 29-34 | 3 | 1-36 | 33 – 38 | 35 – 40 | 37-42 | 39-44 | 41-46 |
| | | cB1 | 24 – 26 | 2 | 6-28 | 28 – 31 | 30 – 33 | 32 – 35 | 34 – 37 | 36 – 39 |
| | ir | сВ | 18-20 | 2 | 0-22 | 22 – 24 | 24 – 26 | 26 – 28 | 28-30 | 30 – 32 |
| Œ CE | O | cY | 28-30 | 2 | 9 – 32 | 31-34 | 33 – 36 | 34-38 | 36-40 | 37-41 |
| a) cD | | cA | 18-21 | 2 | 0-23 | 22 – 25 | 24 – 27 | 26-29 | 28-31 | 30-33 |
| C cc | | | | | | | | | | |
| ℓB1 cB1 | | | | | | | | | | |
| | ents | ℓG reg | gular 7 | 2 – 83 cm | Foot | | | | | |
| <i>ℓ</i> В | Length sureme | ℓG pe | tite 6 | 2 – 71 cm | 2 foot lengt | ths, closed toe | | | | |
| cY | Len | ℓD reg | gular 3 | 8 – 43 cm | Small foot u | up to 23 cm | | | | |
| CA CA | Я | ℓD pe | tite 3 | 3 – 37 cm | Large foot f | rom 23 cm and u | | | | |



¹ In general, the following applies for donning and doffing aids: Rabe E et al. Medical compression therapy of the extremities with medical compression stockings (MCS), phlebological compression bandages (PCB), and medical adaptive compression systems (MAC): S2k guideline of the German Phlebology Society (DGP) in cooperation with the following professional associations: DDG, DGA, DGG, GDL, DGL, BVP. Hautarzt 2021;72(2):137-152.



COMPRESSION for chronic venous disease and PAD / Diabetes Merino-Plush in the entire foot Solid ribbed structure Unique, soft P Yes, certainly of from above the ankles down to the tip of the to sa

Compression therapy in patients with venous disorders and concomitant diseases, have special requirements for a compression stocking. Therefor mediven angio was particularly developed and is the optimum solution for patients with chronic venous disease and comcomitant peripheral arterial disease (PAD) and / or diabetes mellitus.

This compression stocking is unique. mediven angio is the first and only medical compression stocking whose safety was scientifically evaluated and proven in patients with chronic venous disease and concomitant mild to moderate PAD and / or diabetes mellitus.¹

mediven angio. Safety in treatment – down to the toes.

Safety in treatment - down to the toes.

medi tip2:

Due to product features and the results of the clinical trial¹ we recommend mediven angio for:

- Women / men with chronic venous disease
- · Concomitant mild to moderate peripheral arterial disease (PAD)
- · Concomitant Diabetes mellitus

Indications³

• Chronic venous disease stages COs – C5 according to CEAP

Features

- Unique and soft merino-plush padding in the entire foot
- · Natural merino wool for optimum thermoregulation and additional wearing comfort
- Extra long and flat seam clings to the toes and thus forms an anatomic tip shape for optimum pressure relief at the toes and their base joints
- · Solid ribbed structure for an ideal balance of resting- and working pressure and as a visual guide for the correct
- Micro-plush in the entire lower leg for a high wearing comfort
- 90°-heel ensures an even distribution of the knitted fabric in the heel and instep area

Washing instructions

Easy care ₩ 🕸 🖸 🗷 🛇

Suitable for washing machine and drier



- * Product safety proven by clinical trial: The use of the medical compression stocking mediven angio in patients with chronic venous diseases and concomitant mild to moderate peripheral artery disease (PAD) and /or Diabetes mellitus is safe.³

 Rother U et al. Safety of medical compression stockings in patients with diabetes mellitus or peripheral arterial disease. BMJ Open Diab Res Care 2020;8:e001316.

 Please note that this recommendation does not replace a doctor's diagnosis or professional advice from a specialist medical retailer.

 Selecting the ideal compression stockings depends on the indication and the individual needs of the patient.

 In general the following applies for donning and doffing aids: Rabe E et al. Medical compression therapy of the extremities with medical compression stockings (MCS), phlebological compression bandages (PCB), and medical adaptive compression systems (MAC): S2k guideline of the German Phlebology Society (DGP) in cooperation with the following professional associations: DDG, DGA, DGG, GDL, DGL, BVP. Hautarzt 2021;72(2):137-152.



The solution for patients with chronic venous disease and concomitant PAD and / or diabetes mellitus.



Safety in treatment – down to the toes.

| mediven angio | | | | | | |
|---------------|--------------------------|--------------------|---------------------------|---------------------------|--|--|
| Styles | AD | AD | AD pte. | AD pte. | | |
| | | | | | | |
| | calf small foot | calf large foot | calf petite small foot | calf petite large foot | | |
| CCL 1 | 3X40 <mark>∆</mark> 11–7 | 3X40 <u></u> 21−7 | 3X47 <mark>∆</mark> 11–7 | 3X47 <mark>∆</mark> 21–7 | | |
| CCL 2 | 3Y40 <u></u> 11−7 | 3Y40 <u>∆</u> 21–7 | 3Y47 <mark>∆</mark> 11–7 | 3Y47 <u>∆</u> 21–7 | | |

 Δ = Please add 1 for colour caramel and 5 for colour black Please choose the size on the last digit of the article number from 1 to 7.

| Standard styles | | |
|-----------------|--|--|
| Standard sizes | Size I – VII Length normal und petite | |
| Made-to-measure | available | |
| Special models | not available | |
| Border | extra wide cuff | |
| Foot part | closed toe small foot up to 25 cm | |

| Material composition | | | | | | |
|----------------------|----------------|---------------|-------------|--|--|--|
| | Polyamide (PA) | Elastane (EL) | Merino wool | | | |
| CCL1 | 71 % | 22 % | 7 % | | | |
| CCL 2 | 70 % | 23 % | 7 % | | | |

Material

Medium

Compression class

CCL 1, 2

Product benefits





Clima Comfort

Clima Fresh









Standard colours

S = Standard


M = Made-to-measure*



^{*} Delivery period up to 10 working days.

Note

For more information please visit: medi.biz/angio



Unique novelty

mediven® angio - the first and only medical compression stocking whose safety was scientifically evaluated and proven in patients with chronic venous disease and concomitant PAD and / or diabetes mellitus.*

Unique product features

mediven angio was particularly developed for patients with chronic venous disease and mild to moderate PAD and / or diabetes mellitus and optimally adapted to their needs.

Unique safety

In a clinical trial with both types of patients, the safety of mediven angio was evaluated and scientifically proven:

- ✓ Stable blood circulation down to the smallest blood vessels
- ✓ No damage to the skin
- ✓ No constrictions
- ✓ No pressure points
- ✓ High wearing comfort

Confirmed for compression classes 1 and 2



^{*} Product safety proven by clinical trial: The use of the medical compression stocking mediven angio in patients with chronic venous diseases and concomitant mild to moderate peripheral artery disease (PAD) and / or Diabetes mellitus is safe. *
1 Rother U et al. Safety of medical compression stockings in patients with diabetes mellitus or peripheral arterial disease. BMJ Open Diab Res Care 2020;8:e001316.





Standard models Foot tips

Open toe

medi tip:

• Open toe is available at the patient's request, if the patient prefers this



| | mediven elegance | mediven comfort | mediven cotton | mediven plus | mediven forte |
|-------------------------|------------------|-----------------|----------------|--------------|---------------|
| Standard | Standard | Standard | Standard | Standard | Standard |
| Made-to-measure | Standard | Standard | Standard | Standard | Standard |
| In case of modification | Extra charge | Extra charge | - | Extra charge | Extra charge |

Closed toe

medi tip:

 \bullet Universal foot size: mediven elegance, mediven comfort, mediven cotton and mediven plus

Shoe size 36-43

- Two foot sizes for mediven forte:
- Small, up to 23 cm
- Large, from 23 cm



| | mediven elegance | mediven comfort | mediven cotton | mediven plus | mediven forte |
|-------------------------|------------------|-----------------|----------------|--------------|---------------|
| Standard | Standard | Standard | Standard | Standard | Standard |
| Made-to-measure | Standard | Standard | Standard | Standard | Standard |
| In case of modification | Extra charge | Extra charge | - | Extra charge | Extra charge |

Special models Foot tips

Soft toe

medi tip:

• For customers who are sensitive in the toe region (e.g. hammer toe) and would, therefore, like to wear a particularly soft toe

Note: Due to the various knit materials, slight colour deviations may occur.



| | mediven elegance | mediven comfort | mediven cotton | mediven plus | mediven forte |
|-------------------------|------------------|-----------------|----------------|--------------|---------------|
| Standard | Extra charge | Extra charge | - | Extra charge | Extra charge |
| Made-to-measure | Extra charge | Extra charge | - | Extra charge | Extra charge |
| In case of modification | Extra charge | Extra charge | - | Extra charge | Extra charge |

Hallux valgus toe section

medi tip:

• For customers who require freedom of movement for their toes



| | mediven elegance | mediven comfort | mediven cotton | mediven plus | mediven forte |
|-------------------------|------------------|-----------------|----------------|--------------|---------------|
| Standard | Extra charge | Extra charge | - | Extra charge | Extra charge |
| Made-to-measure | Extra charge | Extra charge | - | Extra charge | Extra charge |
| In case of modification | _ | _ | _ | _ | _ |

Anatomical toe

medi tip:

- $\boldsymbol{\cdot}$ For customers who are hypersensitive in the toe area
- Particularly well suited to narrow shoes (e.g. business shoes)



| | mediven elegance | mediven comfort | mediven cotton | mediven plus | mediven forte |
|-------------------------|------------------|-----------------|----------------|--------------|---------------|
| Standard | Extra charge | Extra charge | _ | Extra charge | Extra charge |
| Made-to-measure | Extra charge | Extra charge | - | Extra charge | Extra charge |
| In case of modification | - | - | - | _ | - |

Jersey foot tips can be lengthened or shortened according to specifications

medi tip:

• Individual supply according to customer-specific measurements



Jersey toe lengthened according to specifications



Jersey toe shortened according to specifications

| | mediven elegance | mediven comfort | mediven cotton | mediven plus | mediven forte |
|-------------------------|------------------|-----------------|----------------|--------------|---------------|
| Standard | Extra charge | Extra charge | - | Extra charge | Extra charge |
| Made-to-measure | Standard | Standard | - | Standard | Standard |
| In case of modification | Extra charge | Extra charge | - | Extra charge | Extra charge |

Jersey border at the foot lengthened according to specifications

medi tip:

 $\cdot \ \text{Individual supply according to customer-specific measurements} \\$



| | mediven elegance | mediven comfort | mediven cotton | mediven plus | mediven forte |
|-------------------------|------------------|-----------------|----------------|--------------|---------------|
| Standard | Extra charge | Extra charge | - | Extra charge | Extra charge |
| Made-to-measure | Standard | Standard | - | Standard | Standard |
| In case of modification | Extra charge | Extra charge | - | Extra charge | Extra charge |

Foot length shortened according to specifications

medi tip:

• Individual supply according to customer-specific measurements



| | mediven elegance | mediven comfort | mediven cotton | mediven plus | mediven forte |
|-------------------------|------------------|-----------------|----------------|--------------|---------------|
| Standard | Extra charge | Extra charge | - | Extra charge | Extra charge |
| Made-to-measure | Standard | Standard | - | Standard | Standard |
| In case of modification | Extra charge | Extra charge | - | Extra charge | Extra charge |

Anti-slip-segments

The anti-slip-segments offer more confidence. This makes walking in stockings safer and offer your patients enhanced shoe grip.



| | mediven elegance | mediven comfort | mediven cotton | mediven plus | mediven forte |
|-----------------|------------------|-----------------|----------------|--------------|---------------|
| Standard | Extra charge | Extra charge | - | Extra charge | Extra charge |
| Made-to-measure | Extra charge | Extra charge | _ | Extra charge | Extra charge |

Panty top

Pantyhose with compressive panty top

medi tip:

Secure hold and greater user comfort

- For customers who require a large panty top circumference
- For customers who have soft binding tissue
- · With weakness of the abdominal muscles or diastases



| | mediven elegance | mediven comfort | mediven cotton | mediven plus | mediven forte |
|-----------------|------------------|-----------------|----------------|--------------|---------------|
| Standard | Extra charge | - | - | Extra charge | - |
| Made-to-measure | Extra charge | - | - | Extra charge | Extra charge |

Panty top longer / shorter

medi tip:

Secure hold and greater user comfort

• Extended for customers with a stronger body or larger buttocks

medi tip:

Secure hold and greater user comfort

 Shortened for customers with less developed buttocks (waist-high wearing possible)



| | mediven elegance | mediven comfort | mediven cotton | mediven plus | mediven forte |
|-------------------------|------------------|-----------------|----------------|--------------|---------------|
| Standard | Extra charge | - | - | Extra charge | - |
| Made-to-measure | no surcharge | - | - | no surcharge | no surcharge |
| In case of modification | Extra charge | - | - | Extra charge | Extra charge |

Panty top front / back, longer / shorter

medi tip:

Secure hold and greater user comfort

• Lengthened at the front or shortened at the back for customers with less developed buttocks, but a stronger body

medi tip:

Secure hold and greater user comfort

• Shortened at the front or lengthened at the back for customers with overly developed buttocks but less body



Note: The difference between the front and back panty top length can be a maximum of 9 cm.

| | mediven elegance | mediven comfort | mediven cotton | mediven plus | mediven forte |
|-------------------------|------------------|-----------------|----------------|--------------|---------------|
| Standard | Extra charge | - | - | Extra charge | Extra charge |
| Made-to-measure | no surcharge | - | - | no surcharge | no surcharge |
| In case of modification | Extra charge | - | _ | Extra charge | Extra charge |

Pantyhose with open crotch

medi tip:

Enhanced user comfort and better suitability for everyday use

- For customers with highly restricted freedom of movement
- For incontinent patients
- For patients with permanent catheters
- For customers with gynaecological mycoses



| | mediven elegance | mediven comfort | mediven cotton | mediven plus | mediven forte |
|-------------------------|------------------|-----------------|----------------|--------------|---------------|
| Standard | Extra charge | - | - | Extra charge | - |
| Made-to-measure | no surcharge | - | - | no surcharge | no surcharge |
| In case of modification | Extra charge | - | _ | Extra charge | Extra charge |

Pantyhose with stoma opening

medi tip:

Enhanced user comfort and better suitability for everyday use

• For stoma patients

Please note:

- For initial treatment, first fit the trousers to the customer and then mark the stoma opening.
- Send the trousers to medi to work in the opening. In this way it will be positioned exactly.
- Please send the "Template" in the event of a repeat treatment.



| | mediven elegance | mediven comfort | mediven cotton | mediven plus | mediven forte |
|-------------------------|------------------|-----------------|----------------|--------------|---------------|
| Standard | Extra charge | Extra charge | - | Extra charge | Extra charge |
| Made-to-measure | Extra charge | Extra charge | - | Extra charge | Extra charge |
| In case of modification | Extra charge | Extra charge | - | Extra charge | Extra charge |

One-leg pantyhose

meditip:

• As an alternative to hip fastening or topband



| | mediven elegance | mediven comfort | mediven cotton | mediven plus* | mediven forte* |
|-----------------|------------------|-----------------|----------------|---------------|----------------|
| Standard | - | - | - | Extra charge | - |
| Made-to-measure | _ | - | - | Extra charge | Extra charge |

^{*} Surcharge regulation always based on the price AG with tricot border

Standard models Topbands

Silicone dot topband, Silicone dot topband motif, Silicone micro dot topband sensitive, Plain silicone topband rose

Plain silicone topband rose (FBR)

medi tip: tried-and-tested, reliable grip thanks to flat coating. Elegant, feminine design. Fine, thin topband quality.

Silicone dot topband (NoB)

medi tip: tried-and-tested, reliable grip thanks to dotted structure. Good air circulation. Neutral design. Sturdy, robust topband quality.



medi tip: tried-and-tested, reliable grip thanks to nubbed structure. Good air circulation. Fashionable design. Sturdy, robust topband quality.

Silicone micro dot topband sensitive (MBs)

medi tip: barely noticeable, fine micro-dots on the reverse, for a reliable grip. Very good air circulation. Neutral design. Fine, thin topband quality.



Plain silicone topband rose (FBR)



Silicone dot topband motif (NoM)



Silicone dot topband (NoB)



Silicone micro dot topband sensitive (MBs)



Vgl. Ben Ammar, F. (Dermscan): Klinische Untersuchung der Hautverträglichkeit eines Medizinprodukts – Anwendungstest unter dermatologischer Kontrolle, Tunis, 2012/2013.



Quelle: Final Clinical Security Test – Eurofins DERMSCAN, Bucharest, 2019.

| mediven elegance* | (FBR) Plain silicone topband rose | (NoB) Silicone dot topband | (NoM) Silicone dot topband motif | (MBs) Silicone micro dot topband sensitive |
|-------------------------|-----------------------------------|-------------------------------|----------------------------------|--|
| Standard | Standard | Standard | Standard | Standard |
| Made-to-measure | Standard | Standard | Standard | Standard |
| In case of modification | Extra charge | Extra charge | Extra charge | Extra charge |
| mediven comfort* | | | | |
| mediven comfort* | | | | |
| Standard | Standard | Standard | Standard | Standard |
| Made-to-measure | Standard | Standard | Standard | Standard |
| In case of modification | Extra charge | Extra charge | Extra charge | Extra charge |
| | | | | |
| mediven cotton* | | | | |
| Standard | - | Standard | - | Standard |
| Made-to-measure | - | Standard | - | Standard |
| In case of modification | - | - | - | - |
| | | | | |
| mediven plus* | | | | |
| Standard | Standard | Standard | Standard | Standard |
| Made-to-measure | Standard | Standard | Standard | Standard |
| In case of modification | Extra charge | Extra charge | Extra charge | Extra charge |
| | | | | |
| mediven forte* | | | | |
| Standard | Standard | Standard | Standard | Standard |
| Made-to-measure | Standard | Standard | Standard | Standard |
| In case of modification | Extra charge | Extra charge | Extra charge | Extra charge |
| | | | | |

^{*}Surcharge regulation always based on the price with topband

Waist attachment

medi tip:

- Secure hold and greater user comfort
- For customers with heavy or conical thighs
- For very soft thighs
- For allergy sufferers (alternative to silicone-coated topband)
- For customers who, due to the mechanical action of top bands, have a tendency to experience skin reactions



| | mediven elegance | mediven comfort | mediven cotton | mediven plus* | mediven forte* |
|-------------------------|------------------|-----------------|----------------|---------------|----------------|
| Standard | _ | - | - | Extra charge | Extra charge |
| Made-to-measure | - | - | - | Extra charge | Extra charge |
| In case of modification | - | - | _ | Extra charge | Extra charge |

^{*} Surcharge regulation always based on the price AG with tricot border

Stocking suspenders

Stocking suspenders with strap, adjustable with 2 or 4 suspenders. Can be used with all styles.

| One-sided in the sizes | 1 | 2 | 3 |
|---------------------------|------------|-------------|--------------|
| Waist | 80 – 90 cm | 95 – 105 cm | 110 – 120 cm |
| Double-sided in the sizes | 1 | 2 | 3 |
| Waist | 80 – 90 cm | 95 – 105 cm | 110 – 120 cm |



Yard ware (1 m, 5 m)

Can be ordered as required.

- Silicone dot topband (NoB)
- Silicone dot topband motif (NoM)
- Plain silicone topband rose (FBR)
- Silicone micro dot topband sensitive (MBs)

In all colours, composition: silicone, polyamide, polyester, elastane









mediven® Gusset standard variants

| Standard Gusset | mediven elegance | mediven comfort | mediven cotton | mediven plus | mediven forte |
|--|---|---|---|--|---|
| Comfort gusset | Sizes I – VII cT 60 – 125 cH 80 – 145 | Sizes I – VII cT 60 – 125 cH 80 – 135 | Sizes I – VII cT 60 – 125 cH 80 – 135 | | |
| Crotch gusset Small abdomen and small bottom For women with a less pronounced abdomen and bottom | | | | Sizes I – III cT 60 – 95 cH 80 – 110 | Sizes I – III cT 60 – 95 cH 80 – 110 |
| Narrow gusset at the back Small abdomen and large bottom For women with a pronounced bottom, but a relatively flat abdomen | | | | Sizes IV – VII cT 80 – 125 cH 100 – 145 Maxi panty top Sizes I – III cT 95 – 140 cH 110 – 150 | Sizes IV – VII cT 80 – 125 cH 100 – 145 |
| Wide gusset at the back Large abdomen and very large bottom For women with a pronounced bottom but a comparatively flat abdomen | | | | Maxi panty top Sizes IV – V cT 120 – 150 cH 135 – 160 | |
| Extra wide gusset at the back Very large abdomen and very large bottom For women with a pronounced bottom and abdomen | | | | Maxi panty top Sizes VI – VII cT 140 – 165 cH 145 – 170 | |
| Maternity panty AT / U, closed Growing abdomen Suitable for pregnant women with a large, growing abdominal circumference | Sizes I – VII cT from 60 cH from 80 | | | Sizes I – VII cT from 60 cH from 80 | |
| Men's leotard, horizontal fly For men with fly | | | | Sizes I – VII cT 60 – 125 cH 80 – 145 | |

Comfort gusset

Standard gusset

| Standard model | |
|-----------------|---|
| Models | mediven elegance, mediven comfort, mediven cotton |
| Sizes | I – VII |
| Made-to-measure | |
| Models | mediven elegance, mediven comfort |
| Please order | "Comfort crotch" |

Crotch gusset

Standard gusset

For women with a small abdomen and bottom.

| Standard model | |
|-----------------|-------------------------------|
| Models | mediven plus, mediven forte |
| Sizes | I – III |
| Made-to-measure | |
| Models | mediven plus, mediven forte |
| Please order | "Small gusset in crotch only" |



Maxi-Panty top

For women with large hip and waist circumferences.

| Special model | |
|---------------|------------------|
| Models | mediven plus |
| Sizes | I – VII |
| Please order | "Maxi-Panty top" |

Narrow gusset, up to the waist at the back

For women with large bottoms and a relatively flat abdomen.

| Made-to-measure | |
|-----------------|--|
| Models | mediven elegance, mediven cotton, mediven plus, mediven forte |
| | |
| Special model | |
| Models | mediven elegance, Size IV – VII mediven plus, Size I – III |
| Please order | "Narrow gusset up to waist at back" Can also be incorporated in the AT / U. Caution : this needs a transverse seam in the anterior crotch area. |





Narrow gusset, up to the waist at the front

For women with a large abdomen and a relatively flat bottom.

| Models mediven elegance, mediven cotton, mediven plus, mediven forte Special model Models mediven elegance, Size I – III mediven plus, Size I – VII |
|---|
| Models mediven elegance, Size I – III |
| |
| · |
| Please order "Narrow gusset, up to the waist at the front" |





Wide gusset, up to the waist at the back

For women with a far more pronounced bottom and, in contrast, a flat abdomen.

| Made-to-measure | | |
|-----------------|---|--|
| Models | mediven elegance, mediven comfort, mediven cotton, mediven plus, mediven forte | |
| Special model | | |
| Models | mediven elegance, mediven comfort, mediven plus | |
| Please order | "Wide gusset, up to waist at back" Can also be incorporated in the AT / U. Caution : this needs a transverse seam in the anterior crotch area. | |





Wide gusset, up to the waist at the front

For women with a pronounced abdomen and a relatively flat bottom.

| Made-to-measure | | |
|-----------------|--|--|
| Models | mediven elegance, mediven comfort, mediven cotton, mediven plus, mediven forte | |
| Special model | | |
| Models | mediven elegance, mediven comfort, mediven plus | |
| Please order | "Wide gusset, up to the waist at the front" | |





Variable gusset, back

For women with a narrow waist, a far more pronounced bottom and, in contrast, a flat abdomen.

| Made-to-measure | | |
|-----------------|---|--|
| Models | mediven elegance, mediven plus, mediven forte | |
| | | |
| Special model | | |
| Models | mediven elegance, mediven plus | |
| Please order | "Variable gusset, back" | |





Variable gusset, front

For women with a narrow waist, a far more pronounced abdomen and, in contrast, a flat bottom.

| Made-to-measure | | |
|-----------------|---|--|
| Models | mediven elegance, mediven plus, mediven forte | |
| | | |
| Special model | | |
| Models | mediven elegance, mediven plus | |
| Please order | "Variable gusset, front" | |





Continuous gusset, narrow

For women who are sensitive to pressure and have a slightly larger bottom and abdomen.

| Made-to-measure | | |
|-----------------|---|--|
| Models | mediven elegance, mediven cotton, mediven plus, mediven forte | |
| | | |
| Special model | | |
| Models | mediven elegance, mediven plus | |
| Please order | "Continuous gusset, narrow" | |





Continuous gusset, front narrow, back wide

For women with a large abdomen and a particularly pronounced bottom.

| Made-to-measure | | |
|-----------------|---|--|
| Models | mediven elegance, mediven cotton, mediven plus, mediven forte | |
| | | |
| Special model | | |
| Models | mediven elegance, mediven plus | |
| Please order | "Continuous gusset, front narrow, back wide" | |





Continuous gusset, front wide, back narrow

For women with a large abdominal circumference and a particularly pronounced bottom.

| Made-to-measure | | |
|-----------------|---|--|
| Models | mediven elegance, mediven cotton, mediven plus, mediven forte | |
| | | |
| Special model | | |
| Models | mediven elegance, mediven plus | |
| Please order | "Continuous gusset, front wide and back narrow" | |





Continuous gusset, wide

For women with large abdomen and hips.

| mediven elegance, mediven comfort, mediven cotton, mediven plus, mediven forte | |
|--|--|
| | |
| | |
| mediven elegance, mediven plus, mediven comfort | |
| "Continuous gusset, wide" | |
| | |





Maternity panty AT / U, open

For pregnant women with large and growing abdominal circumferences and tenderness to pressure.

| Made-to-measure | | |
|-----------------|---|--|
| Models | mediven elegance, mediven plus, mediven forte | |
| | | |
| Special model | | |
| Models | mediven elegance, mediven plus | |
| Please order | "Maternity panty AT / U, open" | |





Maternity panty AT / U, closed

Standard gusset

For pregnant women with large and growing abdominal circumferences.

- Soft and supple gusset, the material is visually brighter
- Pantytop has more stretch for a better fit

| Standard model | | |
|-----------------|---|--|
| Models | mediven elegance, mediven plus | |
| Sizes | I – VII | |
| | | |
| Made-to-measure | | |
| Models | mediven elegance, mediven plus, mediven forte | |
| Please order | "Maternity panty AT / U, closed" The AT / U is possible with a narrow (No. 4) or with a wide (No. 6) gusset up to the waist at the back. Caution: this needs a transverse seam in the anterior gusset area. | |





Men's gusset with vertical / horizontal fly

For men, with fly.

| mediven plus (standard horizontal fly) |
|--|
| I – VII |
| |
| |
| mediven plus, mediven forte |
| "Men's crotch with horizontal fly" or "Men's crotch with vertical fly" |
| |









mediven® ulcer kit

Ulcer stocking system with 2 x 20 mmHg for effective compression therapy for up to 24 hours a day.1,2

medi tip*:

Due to product features we recommend mediven ulcer kit for:

- · Women / Men
- · After initial oedema decongestion
- · Suitable for 24 hour compression therapy

Indications²

- Therapy of venous leg ulcer (CEAP Classification C6)
- Therapy for recurrent venous ulcer (CEAP classification C6r)
- · Therapy for mixed ulcers (due to arterial and venous issues), taking the contraindications into account
- Prevention of recurrence of venous leg ulcer (CEAP Classification C5)

Features

- Already offers effective therapy overnight1,2
- · Easy donning liner stocking material makes application of outer stocking easier³
- · Odour-inhibiting effect of the liner stocking allows for optimum hygiene
- · Refined appearance
- · Pleasant wearing comfort whilst good durability
- Fullfills the EWMA** requirements regarding therapeutical necessary pressure (40 mmHg)⁴
- · High wall stability thanks to double layer

Washing instructions

Liner stocking: **⑤** 🏖 **⑥** 🗷 **⊗** Outer Stocking: ₩ 🕸 🖾 🗷 🛇

Suitable for washing machine and drier.



For more information and donning video please visit: www.medi.biz/ulcerkit

^{*} Please note that this recommendation does not replace a doctor's diagnosis or professional advice from a specialist medical retailer
1 Partsch H et al. Compression stockings for treating venous leg ulcers: measurement of interface pressure under a new ulcer kit. Phlebology 2008;23(1):40 46.
2 Wolff O et al. The effect of compression ulcer stockings on the capillary filtration rate and the formation of oedema . Phlebologie 2011;5:245 250.
3 Tickle J. Managing venous leg ulcers and oedema using compression hosiery. Nursing Standard 2015;30(8):57 63.
4 Franks P et al. Management of Patients with Venous Leg Ulcer Challenges and Current Best Practice ,

J Wound Care 2016;25 Suppl 6:167.

** European Wound Management Association

mediven® ulcer kit

Ulcer stocking system with 2 x 20 mmHg for effective compression therapy for up to 24 hours a day. 1,2




mediven[®] ulcer kit

Ulcer stocking system with 2 x 20 mmHg for effective compression therapy for up to 24 hours a day. 1,2

Delivery contents

- 2 mediven ulcer liner stockings
- 1 mediven ulcer plus outer stocking
- 1 easy-on-slipper donning aid (standard item for mediven ulcer kit open toe)



| Article | ArtNo. | |
|--------------------------|---------------------------|---------------------------|
| closed toe | petite | regular |
| mediven ulcer kit | 381708∆000 | 381008∆000 |
| open toe | | |
| mediven ulcer kit | 381707∆000 | 381007∆000 |
| Refill (2 pieces per PU) | | |
| mediven ulcer Refill | 8X4718 <mark>∆</mark> 000 | 8X4018 <mark>∆</mark> 000 |

△ = Please add size 1 - 7

Compression

2 x 20 mmHg

Product benefits










*These features only apply to mediven ulcer





| Measurements / S | iize table | Size I | Size II | Size III | Size IV | Size V | Size VI | Size VII |
|----------------------|---------------|-----------------------|------------|------------------|------------|-----------|------------|-------------|
| Leg measure- | Ankle cB | 18 – 20 | 20 – 22 | 22 – 24 | 24 – 26 | 26-28 | 28 – 30 | 30 – 32 |
| ments (in cm) | Below knee cD | 27 – 33 | 29-36 | 32 – 39 | 34 – 42 | 36-45 | 38-48 | 40-50 |
| Colour marking | Heel | pink | blue | yellow | red | grey | green | brown |
| Length (in cm) ID | | petite 34 – 38 | | regular 39–44 | | | | |

¹ Partsch B et al.: Compression stockings for treating venous leg ulcers: measurement of interface pressure under a new ulcer kit, Phlebology 2008, 23(1), S. 40–46. ² Wolff, O., et al.: The effect of compression ulcer stockings on the capillary filtration rate and the formation of oedema, Phlebologie 5/2011, S. 245–250.







duomed®

The economic solution for venous problems.

medi tip1:

Due to the material thickness, the fit and the product characteristics, we recommend duomed for:

- · Women / men
- · Overweight / obese
- · Light to heavy tendency to venous oedema
- · Also for soft connective tissue

Indications²

- Chronic venous: disease stages COs to C4 according to CEAP
- Initial phase after varicose vein therapy
- · Oedema during pregnancy
- · Postoperative reperfusion oedema
- · Post-traumatic, post-operative, occupational, drug-related oedema
- · Oedema due to immobility
- Superficial venous thrombosis
- · Condition after thrombosis, postthrombotic syndrome
- Thrombosis prophylaxis in mobile patients
- Inflammatory dermatoses of the legs
- · Nausea, dizziness during pregnancy

Features

- · Combines ideal wearing properties and appropriate medical compression
- Your economic solution for a reliable compression therapy





Knee length stocking (AD) with closed



Thigh length stocking (AG) with closed toe




Panty (AT) with open toe

 $^{^1\,} Please \, note \, that \, this \, recommendation \, does \, not \, replace \, a \, doctor's \, diagnosis \, or \, professional \, advice \, from \, a \, specialist \, medical \, retailer.$ $^2\, Selecting \, the \, ideal \, compression \, stockings \, depends \, on \, the \, indication \, and \, the \, individual \, needs \, of \, the \, patients.$

Product benefits





See the last page for the article numbers

Material

Medium

Compression class

CCL 1, 2

Standard colours

S = Standard

Black s

Beige


| Standard styles | |
|------------------|-------------------------|
| Standard sizes | S-XXL |
| Made -to-measure | not available |
| Special models | not available |
| Border | - |
| Gusset | - |
| Foot part | With open or closed toe |

| Materi | al composition | |
|--------|----------------|---------------|
| | Polyamide (PA) | Elastane (EL) |
| CCL1 | 63 % | 37 % |
| CCL 2 | 57 % | 43 % |
| | | |

Washing instructions

Wash-and-wear 為 ☑ ゐ ⊗ Suitable for washing machine and drier

| Measuring duomed | | | | |
|-----------------------------|-------------------------|------------------------|-------------------------|-----------------------------------|
| Size Circumference in cm | cB Ankle measurement | cC Calf measurement | cG Thigh measurement | Measurements for silicone topband |
| S | 19 – 21 | 28 – 34 | 42 – 57 | 47 – 54 |
| M | 22 – 24 | 32 – 38 | 48 – 64 | 52 – 60 |
| L | 25 – 27 | 36 – 42 | 54 – 71 | 56 – 65 |
| XL | 28 – 30 | 40 – 46 | 60 – 78 | 62 – 72 |
| XXL | 30 – 32 | 42 – 50 | 65 – 85 | 65 – 76 |



| Length | |
|--------------------|---------|
| ℓG regular | 72 – 83 |
| ℓ G petite | 62 – 71 |
| ℓ D regular | 39 – 44 |
| ℓ D petite | 34 – 38 |

Toe For all closed toe stockings: only one highly elastic foot size



duomed smooth

Shining beauty for your legs.

medi tip1:

Due to the material thickness, the fit and the product characteristics, we recommend duomed smooth for:

- Women
- · Normal weight
- No / light tendency to venous oedema

Indications²

- Chronic venous: disease stages COs C3 according to CEAP
- · Postoperative reperfusion oedema, post-traumatic, postoperative, occupational oedema, medically induced oedema
- · Oedema due to immobility
- Initial phase following varicose vein therapy
- Superficial venous thrombosis
- Thrombosis prophylaxis in mobile
- · Inflammatory dermatoses of the legs
- · Nausea and dizziness in pregnancy

Features

- · Economic and trendy
- Appropriate medical compression
- · Smooth and slightly shiny material





Pantyhose



Thigh-length stocking



Open toe



Below-knee stocking

 $^{^1 \} Please \ note that this \ recommendation \ does \ not \ replace \ a \ doctor's \ diagnosis \ or \ professional \ advice from \ a \ specialist \ medical \ retailer.$ $^2 \ Selecting \ the \ ideal \ compression \ stockings \ depends \ on \ the \ indication \ and \ the \ individual \ needs \ of \ the \ patients.$

Product benefits






duomed smooth AG pte. Styles open toe ΑD AG AT pte. ΑТ AD pte. calf petite calf thigh petite thigh with panty panty with topband petite topband XV61_0_ XV17_0_ XV10_0_ Class 1 Article No. XV47_0_ XV40_0_ XV57_0_ Class 2 Article No. XW47_0_ XW40_0_ XW57_0_ XW61_0_ XW17_0_ XW10_0_ Styles closed toe AD pte. AG pte. AD AG AT pte. ΑТ calf petite calf thigh petite thigh with panty panty with topband petite topband Class 1 Article No. XV47_1_ XV40_1_ XV57_1_ XV61_1_ XV17_1_ XV10_1_ Class 2 Article No. XW47_1_ XW40_1_ XW57_1_ XW61_1_ XW17_1_ XW10_1_

 $_ = Please \ add \ colour \ (1 \ for \ caramel \ and \ 5 \ for \ black) \ as \ 5 th \ digit \ and \ size \ (2 \ to \ 6) \ as \ 7 th \ digit \ of \ the \ article \ number.$

| Standard styles | |
|-----------------|---------------|
| Standard sizes | S-XXL |
| Made-to-measure | not available |
| Special models | not available |

| Material composition | | | | | |
|----------------------|----------------|---------------|--|--|--|
| | Polyamide (PA) | Elastane (EL) | | | |
| Class 1 | 57 % | 43 % | | | |
| Class 2 | 51 % | 49 % | | | |



| Circumfere | nce in cm | | | |
|-------------|-------------|---------|------------|---------------------|
| Sizes | cB Ankle | cC Calf | cG Thigh | silicone topband |
| S | 19-21 | 28-34 | 42 – 57 | 47 – 54 |
| M | 22 – 24 | 32 – 38 | 48-64 | 52 – 60 |
| L | 25 – 27 | 36 – 42 | 54 – 71 | 56-65 |
| XL | 28 – 30 | 40-46 | 60-78 | 62 – 72 |
| XXL | 30 – 32 | 42 – 50 | 64 – 85 | 65 – 76 |
| Length in c | m | | | |
| Length | AD Calf sto | cking | AG Thigh s | tocking |
| petite | 34 – 38 | | 62 – 71 | |
| standard | 39 – 44 | | 72 – 83 | |

Material

Light

Compression class

CCL 1, 2

Standard colours

S = Standard

| Black | | | |
|-------|--|--|--|
| S | | | |

Caramel s





mediven harmony®

Comfortable round-knitted armsleeve.

Indications1

- · Arm vein thrombosis
- Post-operative and post-traumatic oedema (medi note: not suitable for pronounced oedema!)

Product features

- The double ellipses on the point and in the crease of the elbow offer freedom of movement. To reduce wrinkles to a minimum to prevent soreness.
- The anatomical shape of the armsleeve ensures easy and correct donning and
- The silicone topband is knitted to the armsleeve with a flat and inconspicuous seam which secures hold whilst retaining air permeability.
- The skin feels comfortable all year round with Clima Comfort
- · Added lanolin²
- UV protection factor 80

Compression Class

CCL 1, 2

Product benefits







STANDARD 96.0.1369/1



STANDARD 100 97.0.3231

Standard colours

S = Standard



* Black: minimum order quantities of 20 pieces per size and variant; approx. 4 weeks delivery period



Narrow napped silicone topband



Ellipse on the point of the elbow



Ellipse in the elbow crease


¹The garment model and the strength of pressure required, i.e. the compression class, depend on the diagnosis, the treatment site, the clinical findings and the patient's susceptibility to oedema. Please also consider the patient's individual requirements and the circumstances (comorbidities, mobility, BMI, state of their skin and tissues, etc.).

²Natural substance for the treatment of dry and rough skin, used in many ways, for example in child and baby care. Nourishing protective effect remains even after washing.



Combined armsleeve with hand part AG, sand

mediven harmony® standard styles (ready-to-wear)



x = colour; replace with 5 for black, 7 for caramel or 8 for sand

CG with topband

CG with shouldercap

| Size / Art. No. Short length** | Regular | Extra Wide |
|------------------------------------|--|--|
| AG combined armsleeve with topband | CCL 1 Art. No.: 2Y41701 – 8 CCL 2 Art. No.: 2Z41701 – 8 | CCL 1 Art. No.: 2Y41711 – 8 CCL 2 Art. No.: 2Z41711 – 8 |
| CG with topband | CCL 1 Art. No.: 2Y31701 – 8 CCL 2 Art. No.: 2Z31701 – 8 | CCL 1 Art. No.: 2Y31711 – 8 CCL 2 Art. No.: 2Z31711 – 8 |

CCL 2 Art. No.: 2Z00x01-8

CCL 1 Art. No.: 2Y01x01 - 8

CCL 2 Art. No.: 2Z01x01-8

CCL 1 Art. No.: 2Y05x01 - 8

CCL 2 Art. No.: 2Z05x01-8

CCL 2 Art. No.: 2Z00x11-8 CCL 1 Art. No.: 2Y01x11-8

CCL 2 Art. No.: 2Z01x11 - 8

CCL 1 Art. No.: 2Y05x11-8

CCL 2 Art. No.: 2Z05x11-8


| Material composition armsleeve | | | | | |
|--------------------------------|----------------|---------------|--|--|--|
| | Polyamide (PA) | Elastane (EL) | | | |
| CCL1 | 66 % | 34 % | | | |
| CCL 2 | 57 % | 43 % | | | |

^{*} all variants available as regular or extra wide top ** short length only available in caramel

| Circumference in cm | Size I | | Size II | | Size III | | Size IV | |
|----------------------|--|--|--|--|--|--|---|--|
| | Regular | Extra wide | Regular | Extra wide | Regular | Extra wide | Regular | Extra wide |
| cG | 25.5 – 28.0 | 28.5 – 31.0 | 28.0 – 30.5 | 30.5 – 33.5 | 30.0 – 33.0 | 33.0 – 36.0 | 32.0 – 35.0 | 35.0 – 38.5 |
| cF | 23.5 – 25.5 | 25.5 – 28.0 | 25.0 – 27.5 | 27.5 – 30.0 | 27.5 – 30.0 | 30.0 – 33.0 | 29.5 – 32.0 | 32.0 – 35.0 |
| cE | 23.0 – 25.0 | 24.0 – 26.0 | 24.5 – 26.5 | 26.5 – 29.0 | 26.0 – 28.5 | 28.5 – 31.0 | 27.5 – 30.0 | 30.0 – 33.0 |
| cD | 22.0 – 24.0 | 24.0 – 26.0 | 23.0 – 25.0 | 25.0 – 27.5 | 24.0 – 26.0 | 26.0 – 28.5 | 25.0 – 27.5 | 28.0 – 30.5 |
| cC1* | 15.0 | - 16.5 | 16.5 | -18.0 | 18.0 | -19.5 | 19.5 | -21.0 |
| cC | 13.5 | -14.5 | 14.5 | -15.5 | 16.0 | - 17.5 | 17.5 | -19.0 |
| cA | 15.0 | -18.0 | 16.0 | -19.0 | 17.0 | - 20.0 | 19.0 | -22.0 |
| Circumference | Size V | | Size VI | | Size VII | | Size VIII** | |
| in cm | | | | | | | | |
| in cm | Regular | Extra wide | Regular | Extra wide | Regular | Extra wide | Regular | Extra wide |
| in cm cG | Regular 33.5 – 36.5 | Extra wide 37.0 – 40.5 | Regular 36.0 – 39.5 | Extra wide 39.5 – 43.0 | Regular 38.0 – 41.5 | Extra wide 41.5 – 45.5 | | Extra wide 45.0 – 49.5 |
| | | | _ | | | | Regular | |
| cG | 33.5 – 36.5 | 37.0 – 40.5 | 36.0 – 39.5 | 39.5 – 43.0 | 38.0 – 41.5 | 41.5 – 45.5 | Regular 40.5 – 44.5 | 45.0 – 49.5 |
| cG cF | 33.5 – 36.5 31.0 – 34.0 | 37.0 – 40.5 34.0 – 37.0 | 36.0 – 39.5 33.0 – 36.0 | 39.5 – 43.0 36.0 – 39.5 | 38.0 – 41.5 35.0 – 38.5 | 41.5 – 45.5 38.5 – 42.0 | Regular 40.5 – 44.5 37.5 – 41.0 | 45.0 – 49.5 41.5 – 45.5 |
| cG cF cE | 33.5 - 36.5 31.0 - 34.0 29.0 - 31.5 27.0 - 29.5 | 37.0 – 40.5 34.0 – 37.0 31.5 – 34.5 | 36.0 – 39.5 33.0 – 36.0 30.5 – 33.5 28.5 – 31.0 | 39.5 – 43.0 36.0 – 39.5 33.5 – 36.5 | 38.0 – 41.5 35.0 – 38.5 32.5 – 35.5 30.5 – 33.5 | 41.5 – 45.5 38.5 – 42.0 35.5 – 39.0 | Regular 40.5 – 44.5 37.5 – 41.0 35.0 – 38.5 33.0 – 36.0 | 45.0 – 49.5 41.5 – 45.5 38.5 – 42.0 |
| cG cF cE cD | 33.5 - 36.5 31.0 - 34.0 29.0 - 31.5 27.0 - 29.5 21.0 | 37.0 – 40.5 34.0 – 37.0 31.5 – 34.5 29.5 – 32.0 | 36.0 – 39.5 33.0 – 36.0 30.5 – 33.5 28.5 – 31.0 | 39.5 - 43.0 36.0 - 39.5 33.5 - 36.5 31.0 - 34.0 | 38.0 - 41.5 35.0 - 38.5 32.5 - 35.5 30.5 - 33.5 25.0 | 41.5 – 45.5 38.5 – 42.0 35.5 – 39.0 33.5 – 36.5 | Regular 40.5 – 44.5 37.5 – 41.0 35.0 – 38.5 33.0 – 36.0 27.5 | 45.0 – 49.5 41.5 – 45.5 38.5 – 42.0 36.0 – 39.5 |

| Length (cm) | Standard length | Short length** |
|-------------|-----------------|----------------|
| | 41 – 47 | 36-40 |

^{**} Minimum order quantity of 20 pieces per colour and variant; delivery period approx. 4 weeks



*** Length CG is measured on the inside of the arm from the wrist to the anterior axillary fold.



Seamless AC1 hand piece

mediven harmony® SL standard styles (ready-to-wear)

| Styles – Standard | AC1 seamless hand piece without fingers with thumb base | AC1 seamless glove with compressive fingers |
|-------------------|---|--|
| | | |
| seamless | CCL 1: Art.No.: 2Y90x02–7 CCL 2: Art.No.: 2Z90x02-7 | CCL 1: Art.No.: 2Y91x02-7 CCL 2: Art.No.: 2Z91x02-7 |

x = colour; replace with 5 for black, 7 for caramel or 8 for sand



Seamless AC1 glove

| Circumference / Hand part (cm) | | | | | | |
|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Sizes | II | Ш | IV | V | VI | VII |
| cC * | 15.0-18.0 | 17.0 – 20.0 | 19.0 – 21.5 | 21.0 – 23.5 | 23.0 – 26.0 | 25.5 – 30.0 |
| cC | 13.5 – 15.5 | 15.0 – 18.0 | 17.0 – 20.0 | 19.0 – 21.0 | 20.0 – 23.5 | 22.5 – 27.5 |
| сВ | 15.5 – 20.0 | 17.5 – 21.0 | 19.5 – 23.0 | 20.5 – 24.0 | 22.5 – 26.0 | 24.5 – 30.0 |
| cA | 15.0 – 19.0 | 17.0 – 20.0 | 19.0 – 22.0 | 20.0 – 23.0 | 22.0 – 25.0 | 24.0 – 29.0 |


| Circumference / Fingers (cm) / Sizes | | | | | | | |
|--------------------------------------|-----------|-----|-----|-----|-----|-----|------|
| Sizes | | II | Ш | IV | V | VI | VII |
| Thumb | Bottom cX | 7.0 | 7.5 | 8.0 | 8.5 | 9.0 | 10.0 |
| | Top cZ | 6.0 | 6.5 | 6.5 | 7.0 | 7.5 | 8.0 |
| Index finger | Bottom cX | 6.5 | 7.0 | 7.5 | 8.0 | 8.5 | 9.5 |
| | Top cZ | 5.0 | 5.5 | 6.0 | 6.0 | 6.5 | 7.0 |
| Middle finger | Bottom cX | 6.5 | 7.0 | 7.5 | 8.0 | 8.5 | 9.5 |
| | Top cZ | 5.0 | 5.5 | 6.0 | 6.0 | 6.5 | 7.0 |
| Ring finger | Bottom cX | 6.0 | 6.5 | 7.0 | 7.0 | 7.5 | 9.0 |
| | Top cZ | 5.0 | 5.0 | 5.5 | 5.5 | 6.0 | 6.5 |
| Little finger | Bottom cX | 5.5 | 6.0 | 6.0 | 6.5 | 7.0 | 8.0 |
| | Top cZ | 4.5 | 4.5 | 5.0 | 5.0 | 5.5 | 6.0 |



Seamless AC1 glove with armsleeve CG


| Length / Hand part (cm), all sizes | | | | |
|------------------------------------|-------------|--|--|--|
| AB | 3.5 – 4.5 | | | |
| AC | 10.0 – 12.0 | | | |
| AC ₁ | 15.0 – 16.0 | | | |

| Material composition hand part | | | | | |
|--------------------------------|------|------|--|--|--|
| Polyamide (PA) Elastane (EL) | | | | | |
| CCL1 | 82 % | 18 % | | | |
| CCL 2 | 78 % | 22 % | | | |



* Circumference cC1 is measured 5 cm above cC.

| Length / Fingers (cm) | | | | |
|-----------------------|-----------|--|--|--|
| Thumb | 3.5 – 4.5 | | | |
| Index finger | 4.5 – 5.5 | | | |
| Middle finger | 5.5 – 6.5 | | | |
| Ring finger | 4.5 – 5.5 | | | |
| Little finger | 3.5 – 4.5 | | | |



Circumference cZ is measured at the nailbed.
Circumference cX is measured at the base of the finger.









Compression therapy by the specialist

medi offers the most comprehensive line of compression garments for individual needs.

The inelastic range of circaid is the cost-effective alternative to short stretch and multi-layer bandage systems. circaid products guarantee a constant compression level and feature a fast and easy donning and doffing system. The ability to instantly readjust the circaid system helps to consistently apply compression to a reducing limb. This is not possible with bandaging without completely removing the layers. circaid garments promote self-management and thus an increased patient compliance as well as an improved quality of life.



Inspiration by nature.

circaid products have an animal role model: the giraffe with its specific skin structure. Giraffes have venous pressures of more than 250 mmHg at their front and hind legs — three times more than humans. But they do not suffer from lymphoedema or venous diseases, even though they are on their feet the whole day and sometimes also sleep while standing. But why? In contrast to humans, giraffes have inelastic skin, meaning it does not stretch.* The founder of circaid was inspired from this "natural compression" and designed the first patented inelastic circaid leg garment.

This first garment has been further developed to today's circaid products (short for circulation aid).

^{*}Sathar F, Ludo Badlangana N, Manger PR. Variations in the thickness and composition of the skin of the giraffe. Anatomical record 2010;293(9):1615-1627.

circaid[®] features

Overview of circaid characteristics.



Built-In-Pressure® System

To set, control and re-adjust the correct therapeutic compression range



Breathe-O-Prene

- Breathable material
- Odour-inhibiting effect



Juxtaposed band system

- Optimum fit thanks to interlocking bands
- Each strap can be readjusted while on the limb



Variety

- Wide range of care options
- Many sizes available



Easy handling

- $\cdot \ \mathsf{Simple} \ \mathsf{donning} \ \mathsf{and} \ \mathsf{doffing}$
- Eases handling for the patient



Inelastic

- Inelastic material for an effective therapy and pleasant wearing comfort
- Inspired by nature







circaid[®] Built-InPressure[®] System (BPS)

circaid inelastic compression garments are engineered with the ability to be set to precise compression ranges with a graduated compression profile from the ankle up the leg.

The user-friendly design of the circaid Built-In-Pressure System (BPS) enables patients to achieve the necessary compression ranges needed for the treatment and management of chronic venous disease.

With the circaid Built-In-Pressure System (BPS) guide card patients are able to set their prescribed compression range while donning their garment and to readjust the compression range during the day as needed. Therefore, the appropriate compression range is ensured throughout the period of wear. Simultaneously, it is very simple to verify the correct range of applied pressure.



circaid[®] juxtacures[®]

Adjustable compression device for decongestion of the lower leg – the alternative to traditional compression bandaging.

medi tip*

Due to product features we recommend circaid juxtacures for:

- · Women / men
- · Initial decongestion of phleboedema and phlebo-lymphoedema
- Up to 24 hour compression therapy
- · Mobile / immobile patients

Indications

- · Chronic venous insufficiency
- Varicose veins
- Lipodermatosclerosis
- Venous leg ulcer / mixed leg ulcer
- Deep vein thrombosis / thrombosis prevention
- · Acute deep vein thrombosis
- Post thrombotic syndrome
- Post sclerotherapy
- · Dependent oedema

Product features

- Easy handling simple donning and doffing
- Customisable to the patient's individual circumferences and shape
- Adjustable to reducing leg circumferences during decongestion
- circaid Built-In-Pressure System (BPS): adjustable, measurable and re-adjustable compression – 85 % of users reached the targeted compression value after first instruction¹
- Odour-inhibiting effect
- Re-adjusting the individual bands avoids pressure loss and thus sliding down of the garment – supporting oedema reduction effectively²
- · Also available with new compressive undersock
- Applies graduated compression to the foot and ankle
- Graduated compression continues into the leg portion of the undersock

Benefits

- Easy handling time-saving and less susceptible to error¹
- Compression essential part of guideline-compliant treatment of venous leg ulcer
- Cost savings due to faster healing rates²
- Increased patient-concordance: 94.6 % of the users experience the wearing comfort as pleasant¹
- Increased mobility: possibility of wearing regular footwear¹
- Promotes self-management thanks to easy handling
- Cost- and time-saving compared to compression bandages:3
 - Cost reduction of wound dressings: 55.5 %
- Cost reduction of compression material: 72.3 %
- Reduction of nursing time: 58.7 %

Adjustable compression

20 – 30 mmHg 30 – 40 mmHg 40 – 50 mmHg

Product benefits





Built-In-Pressure®

Variet





Juxtaposed band

Easy handling





STANDARD 100 96.0.1369/1

Colours

S = Standard



Note

For more information and handling videos please visit: medi.biz/jc

* Please consider, that this recommendation does not replace the diagnosis and consultation of a medical healthcare professional.

Studies

- ¹ Protz K et al. Comparison of handling, pressure and wearing comfort of different compression edvices for decongestion therapy. Veins and Lymphatics 2018;7:7989:137–138.
- ² Stather PW et al. Review of adjustable velcro wrap devices for venous ulceration. In Wound J 2019. DOI:10.1111/iwj.13116; Epub ahead of print.
- ³ Elvin S. Cost efficacy of using circaid juxtacures and UCS Debridement cloths. Journal of Community Nursing 2015;29(2):62–65.


circaid[®] juxtacures[®]

Your order includes

- 1 inelastic adjustable compression garment
- 1 circaid Built-In-Pressure System (BPS) guide card
- 1 pair of circaid compression anklets
- 1 pair of circaid undersleeves lower leg
- 6 small additional hook tabs
- 1 paper measuring tape



circaid juxtacures





circaid juxtacures with BPS guide card

circaid[®] juxtacures[®] with circaid[®] compressive undersock

Your order includes


- 1 inelastic adjustable compression garment
- 1 circaid Built-In-Pressure System (BPS) guide card
- 1 pair of circaid compressive undersocks moderate
- · 6 small additional hook tabs
- 1 paper measuring tape

| circaid juxtacures with circaid compressive undersock | | | | | |
|---|------------|------------|------------|--|--|
| Styles | AD | AD | AD | | |
| | | | | | |
| | Short | Standard | Long | | |
| Article No. | JU4M709000 | JU4MN09000 | JU4M009000 | | |



circaid juxtacures with circaid compressive undersock

Measurement chart



| Circumferences in cm | | | | | | |
|---|-------|----|----------|----|------|--|
| Adjustable garment to cut according to individual cicrumferences. | | | | | | |
| Circumference measurements in cm Minimum Maximum | | | | | | |
| сВ | | 19 | | 42 | | |
| cC | | 25 | | 64 | ļ | |
| Length measurement in cm | Short | | Standard | | Long | |
| ℓfloor – knee crease | <49 | | 44-49 | | >49 | |

All garments contain the circaid Built-In-Pressure System (BPS).





cırcald adjustable ompression

circaid[®] juxtalite[®]

Adjustable compression garment for treating venous diseases after initial oedema decongestion.

medi tip*:

Due to product features we recommend circaid juxtalite for:

- · Women/men
- Patients who have challenges with medical compression stockings
- 24 hour compression therapy
- · Mobile / immobile patients

Indications

- · Chronic venous insufficiency
- Varicose veins
- Lipodermatosclerosis
- Venous leg ulcer / mixed leg ulcer
- Deep vein thrombosis / thrombosis prevention
- · Acute deep vein thrombosis
- Post thrombotic syndrome
- Post sclerotherapy
- · Dependent oedema

Product features

- · Easy handling simple donning and doffing
- circaid Built-In-Pressure System (BPS): adjustable, controllable and re-adjustable compression
- Breathe-O-Prene: breathable material with high working pressure
- Odour-inhibiting effect
- Re-adjustability of the individual bands avoids pressure loss and thus sliding down of the garment $^{\!1,2}$
- · Also available with new compressive undersock
 - Applies graduated compression to the foot and ankle
- Graduated compression continues into the leg portion of the undersock

Benefits

- Offering an alternative therapy concept for patients who are not able to apply or tolerate ulcer compression stockings
- Faster healing rates of venous leg ulcer^{1,2}
- Promotes self-management thanks to easy handling¹

Adjustable compression ranges

20 – 30 mmHg 30 – 40 mmHg 40 – 50 mmHg

Product benefits





Ruilt_In_Dressure®

Breathe-O-Pren





Juxtaposed band

Variety





Easy handling

ine**l**astic

Colours

S = Standard

Beige s

Note

* Please consider, that this recommendation does not replace the diagnosis and consultation of a medical healthcare professional.

For more information and handling videos please visit: medi.biz/jl

Studies

- ¹ Mosti G et al. Adjustable compression wrap devices are cheaper and more effective than inelastic Bandages for venous leg ulcer healing. A Multicentric Italian Randomized Clinical Experience. Phlebology 2020;35(2):124-133.
- ² Stather PW et al. Review of adjustable velcro wrap devices for venous ulceration. In Wound J 2019;16(4):903-908.

circaid® juxtalite®

Your order includes


- \cdot 1 inelastic adjustable compression garment
- 1 circaid Built-In-Pressure System (BPS) guide card
- 1 pair of circaid compression anklets
- 1 circaid undersleeve lower leg



circaid juxtalite

| circaid juxta | lite | | |
|-----------------------|---------------|------------|------------|
| Styles | | AD | AD |
| | | | |
| | | short | long |
| Size / Article No. | S | JU15702000 | JU15002000 |
| | M | JU15703000 | JU15003000 |
| | L | JU15704000 | JU15004000 |
| | XL | JU15705000 | JU15005000 |
| | XXL | JU15706000 | JU15006000 |
| | M extra wide | JU15713000 | JU15013000 |
| | L extra wide | JU15714000 | JU15014000 |
| | XL extra wide | JU15715000 | JU15015000 |

| Circumferences in cm | | | | | | |
|--------------------------|---------|---------|--------|---------|--|--|
| | S | M | M – X | L | | |
| cC | 26-36 | 33-44 | 44-54 | 41-51 | | |
| сВ | 19-22 | 22 – 27 | 22-27 | 25 – 32 | | |
| | | | | | | |
| | L – X | XL | XL – X | XXL | | |
| cC | 51-61 | 37-48 | 48-61 | 53-64 | | |
| сВ | 25 – 32 | 30 – 37 | 30-37 | 35 – 42 | | |
| | | Short | Long | | | |
| Sizing measurement in cm | | | | | | |
| ℓfloor-knee d | crease | <44 | >44 | | | |



circaid[®] juxtalite[®] with circaid[®] compressive undersock

Your order includes


- 1 inelastic adjustable compression garment
- 1 circaid Built-In-Pressure System (BPS) guide card
- 1 pair of circaid compressive undersocks moderate



circaid juxtalite with circaid compressive undersock

| circaid juxtalite with compressive undersock | | | | | |
|--|---------------|------------|------------|--|--|
| Styles | | AD | AD | | |
| | | | | | |
| | | short | long | | |
| Size / Article No. | S | JU1M702000 | JU1M002000 | | |
| | М | JU1M703000 | JU1M003000 | | |
| | L | JU1M704000 | JU1M004000 | | |
| | XL | JU1M705000 | JU1M005000 | | |
| | XXL | JU1M706000 | JU1M006000 | | |
| | M extra wide | JU1M713000 | JU1M013000 | | |
| | L extra wide | JU1M714000 | JU1M014000 | | |
| | XL extra wide | JU1M715000 | JU1M015000 | | |

| Circumferences in cm | | | | | | |
|--------------------------|---------|---------|--------|---------|--|--|
| | S | M | M – X | L | | |
| cC | 26-36 | 33-44 | 44-54 | 41-51 | | |
| сВ | 19-22 | 22-27 | 22-27 | 25 – 32 | | |
| | | | | | | |
| | L – X | XL | XL – X | XXL | | |
| cC | 51-61 | 37-48 | 48-61 | 53-64 | | |
| сВ | 25 – 32 | 30 – 37 | 30-37 | 35 – 42 | | |
| | | Short | Long | | | |
| Sizing measurement in cm | | | | | | |
| ℓfloor-knee d | rease | <44 | >44 | | | |



circaid[®] foot options

The following foot options are recommended to wear in combination with circaid juxtalite.

Note

It is recommended to always wear a circaid foot option in combination with a circaid leg garment. The indications of the circaid foot options are identical to the indications of the corresponding circaid leg garment. Please order separately.

circaid® juxtalite® ankle foot wrap

Adjustable compression device with closed heel for venous diseases.


Product details

- Provides compression to foot and ankle
- · Can be trimmed in length to provide perfect fit
- · Easy handling
- · Available in standard sizes only

| Circumferences in cm | | |
|----------------------|------------|------------|
| | S | М |
| cA1 | 19-26 | 24-31 |
| Article No. | IU1W002000 | JU1W003000 |



circaid juxtalite ankle foot wrap



circaid® compression anklet


Standard compression option for foot and ankle.

Product details

- Provides compression to the foot and ankle
- Can be combined with other circaid foot options
- · Available in standard and large



circaid compression anklet





circaid® power added compression band (pac band)

Additional compression for the arch of the foot and ankle.


Product details

- Additional compression to the foot with mild to severe tendency for oedema
- Targets the arch of the foot and around the malleoli
- Can be trimmed to fit almost every foot shape
- Easy handling
- Lightweight and breathable material
- · Available in standard and large
- Bilateral use (left or right foot)

| Circumferences in cm | | | | |
|----------------------|------------|------------|-------------|--|
| | Standard | Large | Extra Large | |
| сВ | 19-27 | 25-50 | 45 – 56 | |
| cA1 | 19-36 | 22-41 | 22-41 | |
| Article No. | JU5P001000 | JU5P002000 | JU5P003000 | |



circaid power added compression band (pac band)



circaid® compressive undersock

Easy-to-apply liner with targeted compression for foot and ankle.


Product details

- Applies graduated compression to the foot and ankle
- Graduated compression continues into the leg portion of the undersock
- Soft material for pleasant wearing comfort
- Available in 15 25 mmHg (moderate compression) and 25 – 35 mmHg (firm compression)
- · Available in standard and large



circaid compressive undersock

| Circumferences in cm | | | | |
|----------------------|------------|------------|--|--|
| | Standard | Large | | |
| cA1 | 19-32 | 24-41 | | |
| сВ | 19-27 | 25-42 | | |
| cC | 26-54 | 41-64 | | |
| Article No. | | | | |
| Moderate | JU5M001000 | JU5M002000 | | |
| Firm | JU5F001000 | JU5F002000 | | |







medi travel® *men*

The sporty travel socks for HIM.

Features

- Opaque knee-high stocking in attractive ribbed look
- Controlled, upwardly decreasing pressure distribution
- Can reduce the risk of travel thrombosis1
- Extra-soft material with reinforced sole
- · Comfortable cuff
- Clima Comfort: for the rapid removal of moisture from the skin's surface and high breathability
- For people with a healthy venous system
- Cannot be prescribed

Washing instructions

Easy-care ₩ 🕸 🖸 🗷 🌣 Suitable for washing machine and drier

AD Circumference Size 18-20 cm S 20-23 cm M 23-26 cm L 26-29 cm XXL Ankle circumference Length standard and petite The length is measured from the heel to below the knee. The length is the ankle circumference.

| Standard styles | | |
|-----------------|---|--|
| Foot | closed toe, shoe size 38 – 48 | |
| Series | Size S – XXL, Length standard (43 – 49 cm) and petite (37 – 42 cm) | |

Product benefits





Perfect F

Hightech fibres

Highest longitudinal and transverse elasticity ensures optimum user comfort on the leg





medi travel complies with all applicable EU Directives. All the prescribed conformity assessment procedures have been completed.

Standard colours

S = Standard



Anthracite s





¹ Hsieh HF, Lee FP. Graduated compression stockings as prophylaxis for flight-related venous thrombosis: systematic literature review. J Adv Nurs 2005;51(1):83-98.

medi travel® women

The fashionable travel socks for HER.

Features

- Knee socks with a semi-transparent appearance
- Controlled, upwardly decreasing pressure distribution
- Can reduce the risk of travel thrombosis1
- · Comfortable cuff
- · Clima Comfort: for the rapid removal of moisture from the skin's surface and high breathability
- Clima Fresh: Odour-inhibiting effect
- For people with a healthy venous system
- Cannot be prescribed

Washing instructions

Easy-care ₩ 🕸 🖸 🗷 🛇 Suitable for washing machine and drier

| Styles | Measuring chart | | |
|----------------------------|---|--|--|
| AD | | | |
| | 11 22 23 26 25 | rcumference Size 3 – 20 cm S – 23 cm M 3 – 26 cm L 5 – 29 cm XL 5 – 32 cm XXL skle circumference | |
| Length standard and petite | The length is measured from the heel to below the knee. | You determine the right size of the medi travel by measuring the ankle circumference. | |

| Standard styles | |
|-----------------|---|
| Foot | closed toe, shoe size 36 – 43 |
| Series | Size S – XXL, Length standard (39 – 44 cm) and petite (34 – 38 cm) |

| Material composition | | |
|------------------------------|-----|--|
| Polyamide (PA) Elastane (EL) | | |
| 75% | 25% | |

Product benefits







Hightech fibres

Highest longitudinal and transverse elasticity ensures optimum user comfort on the leg



STANDARD 100 96.0.1369/1



medi travel complies with all applicable EU Directives. All the prescribed conformity assessment procedures have been completed.

Standard colours

S = Standard




Caramel





¹ Hsieh HF, Lee FP. Graduated compression stockings as prophylaxis for flight-related venous thrombosis: systematic literature review. J Adv Nurs 2005;51(1):83-98.





medi skin care

Offer your customers more, such as silky smooth skin during compression treatment.

medi's skin care products have many beneficial ingredients. They are the perfect accompaniment to venous treatment and ensure nourished, healthy skin.

Medical compression stockings are the main component of venous treatment. Proper skin care is an important part of treatment, since the garments are generally worn every day. This can stress the skin. The medi skin care products are specially designed for compression treatment and keep the skin balanced.

An important tip for patients with allergies:


All products meet the highest demands and are produced free of parabens (preservatives) and wool fat alcohols.

The medi care products do not have a use-by or expiry date. They are marked with an "opened tub" and a month. This means that as soon as the tube has been opened and the contents are being used, the product should be used within 6, 9, or 12 months, as with shower gels, shampoos, etc.



Note

medi day, medi fresh and medi soft are not available to all countries.



medi care products are cosmetic products and may only be used on intact skin.

mediday - cooling gel with horse chestnut

- Refreshing and cooling effect
- · Well-nourished, smooth skin
- Reduces the feeling of tightness
- Supports user comfort of medicinal compression stockings

$50\,\mathrm{ml}$ tube / $150\,\mathrm{ml}$ tube / $500\,\mathrm{ml}$ dispenser

| Article | PU | Art. no. |
|----------------------------|--------|------------|
| medi day, 50 ml tube | 6 pcs | P400025000 |
| medi day, 150 ml tube | 6 pcs | P400026000 |
| medi day, 500 ml dispenser | 1 pcs | P400027000 |
| medi day, Sachet 8 ml | 20 pcs | P931009000 |



You can find more information about the test carried out at www.dermatest-guarantee.de

medi night – skincare cream with regenerative Hamamelis

- To soothe and rejuvenate during the night.
- Soothes the skin and also supports regeneration

$50\,\mathrm{ml}\,\mathrm{tube}$ / $150\,\mathrm{ml}\,\mathrm{tube}$

| Article | PU | Art. no. |
|-------------------------|--------|------------|
| medi night, 50 ml tube | 6 pcs | P500025000 |
| medi night, 150 ml tube | 6 pcs | P500026000 |
| medi day, Sachet 8 ml | 20 pcs | P941009000 |



You can find more information about the test carried out at www.dermatest-guarantee.de



medi day



medi night

medi fresh - refreshing spray with menthol

- For a hint of freshness throughout the day
- Feel refreshed straight away
- · Can be used several times a day
- Gentle on the stocking fabric
- Easy to use everyday

100 ml bottle

| Article | PU | Art. no. |
|---------------------------|-------|------------|
| medi fresh, 100 ml bottle | 6 pcs | P900026000 |



You can find more information about the test carried out at www.dermatest-guarantee.de

medi soft

Skin care with horse chestnut and moisturising urea.

- · Gentle foam lotion to care for the skin around the clock
- · Well-nourished, smooth skin
- Reduces the feeling of tightness
- Supports user comfort of medical compression stockings
- Provides additional support for fabrics and topbands
- Can: 100 % recycled, except spray head, cap and label

Treat your skin in the mornings and evenings to some extra moisture.

100 ml bottle

| Article | PU | Art. no. |
|--------------------------|-------|------------|
| medi soft, 100 ml bottle | 6 pcs | P900026000 |



You can find more information about the test carried out at www.dermatest-guarantee.de

Note
Suitable for diabetics.



medi fresh



medi soft

medi fabric care

The special medi hand wash is designed especially for mediven compression garments. It is suitable for daily washing and gently and effectively cleans the fabric.

The medi spot cleaner removes shoe abrasion from the heel and tip of the foot. It is applied to the required areas before washing (allow to work for five minutes).

Features

- Protects the colour
- Gentle care
- Easy handling
- Odourless
- $\cdot \ \mathsf{Dermatologically} \ \mathsf{compatible}$



medi clean – hand detergent for medical compression stockings

| Article | PU | Art. no. |
|--------------------|--------|------------|
| medi clean, 200 ml | 6 pcs | P920026000 |
| medi clean, 200 ml | 20 pcs | P951009000 |

$medi\,spot\,ex-removal\,stick$

| Article | PU | Art. no. |
|---------------------|-------|------------|
| medi spot ex, 15 ml | 6 pcs | P930005000 |

medi laundry net

| Article | PU | Art. no. |
|------------------|--------|------------|
| medi laundry net | 15 pcs | 1020585000 |



medi clean



medi spot ex



medi laundry net

medi donning and doffing aids

medi Butler

Your benefits:

- · Wide selection of Butlers: the right solution for all of your customer requirements
- · Increase add-on sales
- Time saving with uncomplicated donning and doffing


Benefits for your customers:

- Quick and simple donning of compression stockings
- Less effort required
- · Wide choice for the most individual demands

medi Export Butler with long handles

The ideal donning aid for all compression stockings wearers who can comfortably use a donning aid for their stockings without assistance. The long handle ensures maximum stability when putting on compression stockings and pantyhose. The handle length is 32 cm. The stirrup width is 11 cm.

Article No. 6900041000



The handle length is 35 cm. The stirrup width is 11 cm.

Article No. 6900052000

medi Butler with variable handles

The donning aid for stocking wearers with considerably restricted freedom of movement.

The handle length can be adjusted between 37 and 58 cm. The stirrup width is 11 cm.

Article No. 6900051000



medi Export Butler



medi Butler with long handles



medi Butler with variable handles

medi Big (XXL) Butler

The stirrup of the medi Big Butler has a larger diameter. This makes allowance for larger circumferences which are often associated with less freedom of movement. The handle length is 44 cm. The stirrup width is 15 cm.

Article No. 6900102000



medi Big (XXL) Butler

medi Butler for pantyhose

The medi pantyhose Butler eases donning of compression pantyhose. The handle length is 48 cm. The stirrup width is 11 cm.

Article No. 6900055000



medi Butler for pantyhose

medi Hospitalbutler

Adjustable diameter with hard paint finish coating. The stirrup width is 11 cm.

Article No. 6900062000



medi Hospitalbutler

medi Arm Butler

The medi Arm Butler eases donning of compression armsleeves.

Article No. 6900057000



medi Arm Butler

medi Butler Off

Quick and easy doffing of stockings, socks and medical compression stockings, without bending over.

Not recommended for mediven forte.

| Article No. | Description |
|-------------|-----------------|
| 6900362000 | medi Butler Off |



medi Butler Off

Dressing aid

Easy-on-slipper, one size fits all.

| Article No. | Description |
|-------------|-------------------------------------|
| 6900022000 | Dressing aids (unit with 40 pieces) |



Easy-on-slipper

medi 2in1

Your compression stocking glides up over your heel effortlessly

- For all garment lengths
- For open and closed toes
- Hard-wearing and tear-resistant
- Light and folds up very compact and portable

| Article No. | Description | |
|-------------|-------------|--|
| 6900013000 | medi 2in1 | |



medi 2in1

Rubber gloves

- Sizes: small, medium and large
- Material: 100 % Latex

| Article No. | Description | Size | e | Quantity |
|-------------|---------------|------|-------|-------------------|
| 6901022000 | rubber gloves | S | 6,5-7 | 1 pair |
| 6901023000 | rubber gloves | М | 7,5-8 | 1 pair |
| 6901024000 | rubber gloves | L | 8,5-9 | 1 pair |
| 6901122000 | rubber gloves | S | 6,5-7 | 12 pairs / carton |
| 6901123000 | rubber gloves | М | 7,5-8 | 12 pairs / carton |
| 6901124000 | rubber gloves | L | 8,5-9 | 12 pairs / carton |



Rubber gloves

medi textile gloves with latex

- These gloves facilitate putting on, arranging and positioning compression garments on legs and arms.
- Material: 40% polyester, 60% latex

| Article No. | Description | Size | Quantity |
|-------------|---------------------|--------|-------------------|
| 6903022000 | medi textile gloves | small | 1 pair |
| 6903023000 | medi textile gloves | medium | 1 pair |
| 6903024000 | medi textile gloves | large | 1 pair |
| | | | |
| 6903122000 | medi textile gloves | small | 12 pairs / carton |
| 6903123000 | medi textile gloves | medium | 12 pairs / carton |
| 6903124000 | medi textile gloves | large | 12 pairs / carton |



medi textile gloves

Treatment aids

medi fix

| Article | PU | Art. no. |
|-----------------|-------|------------|
| medi fix, 50 ml | 6 pcs | 1023025000 |

Adhesive lotion for compression garments with a tricot border.



You can find more information about the test carried out at www.dermatest-guarantee.de



medi fix







Your electronic path to medi starts here

medi e-shop

With the medi e-shop you can work flexibly from your tablet wherever you are – at your workplace or on the road. Round the clock. Simple and straightforward.

How do I access the medi e-shop? Simply access the link to the medi e-shop: https://eshop.medi.de

Details on using the medi e-shop:

If you have internet access, you can get started right away. Once you fill out the required fields in the registration, you will receive an email with access data, and you will then be able to log on with your user login.



Intended purposes

Round-knitted medical compression stocking:

Round-knitted medical compression stocking used for compression of the lower extremities, mainly for the treatment of disorders of the venous system.

medi Butler (leg):

Donning aids for medical/clinical compression socks and stockings.

medi Butler (arm):

Donning aid for medical/clinical compression sleeves.

medi 2in1:

Donning and doffing aids for medical/clinical compression socks and stockings.

mediven harmony:

Round-knitted medical compression garment used for compression of the upper extremities, mainly for the treatment of disorders of the venous or lymphatic systems.

mediven harmony SL:

Flat-knitted medical compression garment used for compression of the upper extremities, mainly for the treatment of disorders of the venous or lymphatic systems.

mediven ulcer kit:

Circular-knit compression stocking system used for compression of the lower extremities, primarily in the treatment of disorders of the venous system.

medi travel:

Round knitted compression stocking of the lower extremities for physical thrombosis prophylaxis for travellers with healthy veins.

circaid juxtalite:

The compression system is designed to provide compression to the leg for patients with venous and lymphatic disorders.

circaid foot options:

The compression system is designed to provide compression to the foot and ankle for patients with venous and lymphatic disorders.

| Notes | | | |
|-------|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| Notes | |
|-------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |





Definition of article numbers phlebology

Please choose your size on the last (7th) digit of the article number from 2 to 6 (travel men, travel women, duomed, duomed smooth) or from 1 to 7 (all other qualities). Please choose open or closed toe (6th digit: 0 = open toe, 1 = closed toe) for all qualities except mediven plus, mediven for men, mediven active, medi travel men / women. Please choose your colour (5th digit) instead of x.

mediven sheer & soft

0 = Natural

5 = Ebony

mediven elegance

 $C = Cashmere \quad A = Anthracite$

5 = Black 2 = Grey

1 = Caramel M = medi Magenta

7 =White 8 =Sand 0 =Beige 3 =Navy

mediven for men / mediven active

3 = Navy 5 = Black

6 = Brown 7 = White (only mediven active)

A = Anthracite

mediven comfort

C = Cashmere 0 = Beige

8 = Sand 3 = Navy

1 = Caramel A = Anthracite

2 = Grey 5 = Black

mediven cotton

1 = Caramel 5 = Black

mediven plus

C = Cashmere 3 = Navy

2 = Grey A = Anthracite

1 = Caramel 5 = Black

8 = Sand M = medi Magenta

0 = Beige 7 = White

mediven forte

C = Cashmere 0 = Beige

8 = Sand 3 = Navy

1 = Caramel Z = Anthracite

2 = Grey 5 = Black

duomedduomed smoothmediven angio0 = Beige1 = Caramel1 = Caramel

5 = Black 5 = Black 5 = Black

medi GmbH & Co. KG Medicusstraße 1 D-95448 Bayreuth / Germany T+49 921 912-0 F+49 921 912-781 export@medi.de www.medi.de/en

medi Australia Pty Ltd 83 Fennell Street North Parramatta NSW 2151 Australia T+61 2 9890 8696 F+61 2 9890 8439 sales@mediaustralia.com.au www.mediaustralia.com.au

medi Austria GmbH Adamgasse 16 / 7 6020 Innsbruck Austria T +43 512 57 95 15 F +43 512 57 95 15 45 vertrieb@medi-austria.at www.medi-austria.at

medi Belgium NV Staatsbaan 77 / 0099 3945 Ham Belgium T + 32 11 24 25 60 F +32 11 24 25 64 info@medibelgium.be www.medibelgium.be

medi Canada Inc / médi Canada Inc 104-1375 Lionel-Boulet, Varennes, Québec, QC Canada J3X 1P7 T+1 450 583 3317 /+1 800 361 3153 F+1 888 583 6827 service@medicanada.ca www.medicanada.ca

medi Danmark ApS Vejleåvej 66 2635 Ishøj Denmark T+45 70 25 56 10 kundeservice@sw.dk www.medidanmark.dk

medi Bayreuth Espana SL C / Canigo 2 – 6 bajos Hospitalet de Llobregat 08901 Barcelona Spain T +34 932 60 04 00 F 34 932 60 23 14 medi@mediespana.com www.mediespana.com

medi France
Z. I. Charles de Gaulle
25, rue Henri Farman
93297 Tremblay en France Cedex
France
T +33 1 48 61 76 10
F +33 1 49 63 33 05
infos@medi-france.com
www.medi-france.com

medi Hungary Kft. Bokor u. 21. 1037 Budapest Hungary T +36 1 371-0090 F +36 1 371-0091 info@medi.hu www.medi.hu

medi Italia s. r. l.
Via Giuseppe Ghedini, 2
40069 Zola Predosa (BO)
Italy
T+39 051 6 13 24 84
F+39 051 6 13 29 56
info@medi-italia.it
www.medi-italia.it

medi Nederland BV Heusing 5 4817 ZB Breda The Netherlands T+31 76 57 22 555 F+31 76 57 22 565 info@medi.nl www.medi.nl

medi Norway AS
Vestheimvegen 35
4250 Kopervik
Norway
T+47 52 84 45 00
F 47 52 84 45 09
post@medinorway.no
www.medinorway.no

medi Polska Sp. z. o. o. ul.Łabędzka 22 44-121 Gliwice Poland T +48 32 230 60 21 F +48 32 202 87 56 info@medi-polska.pl www.medi-polska.pl

medi Bayreuth Unipessoal, Lda Rua do Centro Cultural, no. 43 1700-106 Lisbon Portugal T +351 21 843 71 60 F +351 21 847 08 33 medi.portugal@medibayreuth.pt www.medi.pt

medi RUS LLC
Business Center NEO GEO
Butlerova Street 17
117342 Moscow
Russia
T +7 495 374 04 56
F +7 495 374 04 56
info@medirus.ru
www.medirus.ru

medi Sweden AB Box 6034 19206 Sollentuna Sweden T+46 8 969798 F+46 8 6266870 info@medi.se www.medi.se medi UK Ltd.
Plough Lane
Hereford HR4 OEL
Great Britain
T +44 1432 37 35 00
F +44 1432 37 35 10
enquiries@mediuk.co.uk
www.mediuk.co.uk

medi Ukraine LLC Evhena Sverstiuka str, 11. Kiev 02002 Ukraine T +380 44 591 11 63 F +380 44 392 73 73 info@medi.ua http://medi.ua

medi USA L.P.
6481 Franz Warner Parkway
Whitsett, N.C. 27377-3000
USA
T+1 336 4 49 44 40
F+1 888 5 70 45 54
info@mediusa.com
www.mediusa.com

medi Trading (Shanghai) Co. Ltd.
Room 1703, T1, CES WEST BUND CENTER,
No. 277, Long Lan Road
Xuhui District
200232 Shanghai
People's Republic of China
T+86 21 50582319
F+86 21 50582319

Medi Turk Ortopedi Medikal Ic ve Dis Tic. AS Mustafa Kemal Mah. 2156 Sokak No: 16 / 4 - 5 06510 Çankaya Ankara Turkey T +90 312 435 20 26 F +90 312 434 17 67 info@medi-turk.com www.medi-turk.com

MAXIS a. s. medi group company Slezská 2127 / 13 120 00 Prague 2 Czech Republic T +420 571 633 510 F +420 571 616 271 info@maxis-medica.com www.maxis-medica.com

Tachezy Sanit Srl.
Via Druso 48 / a
39100 Bolzano
Italy
T +39 0471 288 068
F +39 0471 282 773
info@tachezysanit.com
www.tachezysanit.com

medi Japan K. K.
5-1 Nihonbashi Kabutocho Chuoku
103-0026 Tokyo
Japan
T+81 3 6778 2590
F+81 3 5847 7901
info@medi-japan.jp
www.medi-japan.co.jp

Headquarters medi GmbH & Co. KG Medicusstraße 1 95448 Bayreuth Germany T +49 921 912-0 F +49 921 912-781 export@medi.de www.medi.de/en

